

CHAPTER 13 — CONSUMABLE MATERIALS

TABLE OF CONTENTS

Paragraph Number	Title	Chapter/Section Number	Page Number
CONSUMABLE MATERIALS			
13-1	Consumable Materials	13-00-00	3
13-2	Adhesive Data.....	13-00-00	3

TABLES

Table Number	Title	Page Number
13-1	Consumable Materials List — Item Number Versus Nomenclature.....	5
13-2	Consumable Materials List — Nomenclature Versus Item Number.....	65
13-3	Alternates for Bell Helicopter Textron Adhesives.....	121

CONSUMABLE MATERIALS

13-1. CONSUMABLE MATERIALS

WARNING

MAKE SURE TO FOLLOW ALL SAFETY PRECAUTIONS WHEN YOU USE CONSUMABLE MATERIALS. FAILURE TO OBEY CAN CAUSE DAMAGE TO EQUIPMENT, INJURY TO PERSONNEL, OR DEATH.

Consumable materials required to support Bell helicopters are listed in [Table 13-1](#) and [Table 13-2](#). Federal Supply Codes for Manufacturers (FSCM) or Commercial and Government Entity (CAGE) codes are listed in the source column (when known) to provide a specific approved source for material listed.

NOTE

Federal Supply Codes for Manufacturers (FSCM) listing of vendors name, address (Name-to-Code, or Code-to-Name) may be obtained from:

IHS Inc.
15 Inverness Way East
Englewood, Colorado 80112
<http://www.ihs.com>

Technical Support:
1-800-447-3352 (USA/Canada)
1-303-397-2295 (Worldwide)
1-303-397-2599 (Fax)
custsvc@ihs.com

Telemarketing:
U.S. and International Phone Number
1-800-525-7052

To obtain the latest listing of consumable materials, please refer to the Electronic Commercial Technical Publications Web site at www.bellhelicopter.net. The web site consumable listing will be kept up to date between paper copy manual revisions.

For any additional information pertaining to the safety precautions, definition, application, and use of these consumables, please refer to the manufacturers Technical Data Sheet, Material Safety Data Sheet (MSDS), or any other applicable documentation available through Bell Helicopter Textron or the manufacturer of the product.

Links to MSDS and other consumable data are available via the Electronic Commercial Technical Publications Web site at www.bellhelicopter.net.

13-2. ADHESIVE DATA

[Table 13-3](#) provides acceptable alternates for Bell Helicopter Textron adhesives (299-947-XXX), including the characteristics for curing and the storage life.

WARNING

MAKE SURE TO FOLLOW ALL SAFETY PRECAUTIONS WHEN YOU USE CONSUMABLE MATERIALS. FAILURE TO OBEY CAN CAUSE DAMAGE TO EQUIPMENT, INJURY TO PERSONNEL, OR DEATH.

For any additional information pertaining to the safety precautions, definition, application, and use of these alternate adhesives, please refer to the manufacturers Technical Data Sheet, Material Safety Data Sheet (MSDS), or any other applicable documentation available through Bell Helicopter Textron or the manufacturer of the product.

Links to MSDS and other consumable data are available via the Electronic Commercial Technical Publications Web site at www.bellhelicopter.net.

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature


ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-001	Grease, Aircraft, General Purpose	MIL-PRF-81322	AEROSHELL 22	14 OZ	Aeroshell Grease 22	54527
		MIL-PRF-81322	ROYCO 22	14 OZ	Royco 22CF	07950
		MIL-PRF-81322	MOBIL 28 5LB CAN	5 LB	Mobilgrease 28	1ZAY6
		MIL-PRF-81322	None	N/A	Aeroshell Grease 22CF	07950
		MIL-PRF-81322	MOBIL 28	1 LB	Mobilgrease 28	1ZAY6
C-002	Hydraulic Fluid, Petroleum Base	MIL-PRF-5606	MIL-H-5606	1 QT	Any product listed in current issue of QPL-5606 	Commercial
C-003	Turbine Fuel	MIL-DTL-83133, Grade JP-8	None	N/A	Refer to Flight Manual for approved fuels	Commercial
		MIL-DTL-5624, Grade JP-5	None	N/A	Refer to Flight Manual for approved fuels	Commercial
		MIL-DTL-5624, Grade JP-4	None	N/A	Refer to Flight Manual for approved fuels	Commercial
		ASTM D1655, Type Jet A	None	N/A	Refer to Flight Manual for approved fuels	Commercial
		ASTM D1655, Type Jet A-1	None	N/A	Refer to Flight Manual for approved fuels	Commercial
		ASTM D6615	None	N/A	Refer to Flight Manual for approved fuels	Commercial
C-004	Use C-043	None	None	N/A	Use C-043	N/A
C-005	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	AS5272	None	N/A	Lube-Lok 2109	11770

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)



ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-005	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	AS5272	None	N/A	Sandstrom 9A	34227
		AS5272	TIO LUBE 460	1 QT	Tiolube 460	34568
C-006	Use C-021	None	None	N/A	Use C-021	N/A
C-007	Grease, Aircraft, Helicopter, Oscillating Bearing	MIL-G-25537	MILG25537 1LB CAN	1 LB	Any product listed in current issue of QPL-25537 	Commercial
C-008 EC-031	Petrolatum, Technical Grade	VV-P-236	PETROLATUM 13 OZ	13 OZ		Commercial
		VV-P-236			Any product meeting specification	Commercial
C-009	Lubricating Oil, Jet Engine	MIL-PRF-6081, Grade 1010	MIL-L-6081	1 GAL	Any product listed in current issue of QPL-6081 	Commercial
C-010	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-7808, Grade 3	None	N/A	Royco 808H	07950
		MIL-PRF-7808, Grade 3	None	N/A	Aeroshell Turbine Oil 308	Commercial
		MIL-PRF-7808, Grade 3	None	N/A	Exxon Turbo Oil 2389	Commercial
		MIL-PRF-7808, Grade 3	MIL-L-7808	1 QT		Commercial
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class HTS	AEROSHELL 560	1 QT	AeroShell Turbine Oil 560	Commercial
		MIL-PRF-23699, Class STD	ROYCO 500	1 QT	Royco Turbine Oil 500	07950

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-011	Lubricating Oil, Turbine Engine, Synthetic Base	MIL-PRF-23699, Class HTS	ROYCO 560	1 QT	Royco Turbine Oil 560	07950
		MIL-PRF-23699, Class STD	None	N/A	Aeroshell Turbine Oil 500	Commercial
		MIL-PRF-23699, Class HTS	MOBIL 254	1 QT	Mobil Jet Oil 254	Commercial
		MIL-PRF-23699, Class STD	None	N/A	Mobil Jet Oil II	Commercial
C-012	Lubricating Grease	None	PLASTILUBE #3	14 OZ	Plastilube #3	1V074
					Molykote No. 3	70904
					ML 7 PLUS 2	
C-013	Lubricating Oil	J 2362 (10W30)			10W30	Commercial
C-014	Grease, Aircraft and Instruments	MIL-PRF-23827, Type I or II	MIL-G-23827	14 OZ	Any product listed in current issue of QPL-23827 ¹	Commercial
C-015	Lubricant, Tube Pack, Driveshaft Coupling	None	204-040-755-005	6 OZ	204-040-755-005	97499
C-016	Lubricating Oil, Jet Engine	MIL-PRF-6081, Grade 1005			Any product listed in current issue of QPL-6081 ¹	Commercial
C-017	Lubricant, Fluorosilicone	NLGI Grade 2			Molykote 3451	71984
C-018	Silicone Compound	AS8660	NO.4 SILICONE	5.3 OZ	DC-4	71984
C-019	Use C-028	None	None	N/A	Use C-028	N/A
C-020	Lubricating and Preservative Oil, Low Volatility	MIL-PRF-6085	MIL-L-6085	1 GA	Any product listed in current issue of QPL-6085 ¹	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)



ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-020	Lubricating and Preservative Oil, Low Volatility	MIL-PRF-6085	MIL-L-6085 PT	1 PT	Any product listed in current issue of QPL-6085 	Commercial
		MIL-PRF-6085	MIL-L-6085 QT	1 QT	Any product listed in current issue of QPL-6085 	Commercial
C-021	Lubricant, Solid Film, Air Cured, Corrosion Inhibitor	MIL-L-23398, Type II			Perma Slik G	
		MIL-L-23398, Type II	TIO-LUBE 70	12 OZ	TIOLUBE 70	34568
C-021A	Use C-031	None	None	N/A	Use C-031	N/A
C-022	Use C-005	None	None	N/A	Use C-005	N/A
C-023	Grease, Petroleum Lubricant				Lubriplate 130-AA	73219
					Lubriplate 130-A	73219
C-024	Assembly Fluid	None	#1FLUID4OZ ULTRACHEM	4 OZ	Ultrachem Assembly Fluid No. 1	56385
C-025	Graphite Petrolatum, Thread Anti-seize Compound	AMS 2518			Any product meeting specification	98308
		AMS 2518	MIL-T-5544	1 LB		
C-026	Grease, Aircraft, Ball and Roller Bearing	MIL-G-25013			Royco 13D	07950
		MIL-G-25013	ROYCO 13	28 OZ		
		MIL-G-25013			Royco 13CF	07950
C-027	Lubricant, Semi-Fluid	MIL-L-46000			Royco 46	07950
C-028	Lubricant, Dry Film	None	PERMALON #327	12 OZ	Permalon 327	8M506

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-029	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant	MIL-PRF-83282			Any product listed in current issue of QPL-83282 Δ_1	Commercial
C-030	Lubricating Oil	DOD-PRF-85734	None	N/A	Exxon Turbo Oil 25	Commercial
		DOD-PRF-85734	ROYCO 555	1 QT	Royco Turbine Oil 555	07950
		DOD-PRF-85734	AEROSHELL 555	1 QT	Aeroshell Turbine Oil 555	Commercial
C-031	Lubricating Oil, Piston Engine	J 1966, Grade 1100				Commercial
C-032	Lubricant				3201-86217-01-0	99167
C-033	Use C-005	None	None	N/A	Use C-005	N/A
C-034	Lubricant, Solid Film				Everlube 620	11770
C-035	Use C-021	None	None	N/A	Use C-021	N/A
C-036	Cleaning Compound				Hoppe's No. 9 or equivalent	73266
C-037	Use C-003	None	None	N/A	Use C-003	N/A
C-038	Soluble Oil, Corrosion Inhibitor	MIL-I-24453				29700
C-039	Lubricating Oil, General Purpose, Low Temperature	MIL-PRF-7870			Any product listed in current issue of QPL-7870 Δ_1	Commercial
C-040	Lubricating Oil, Light Machine				3 in 1 or equivalent	Commercial
C-041	Heatsink Compound, Silicone Base				Thermalcote 250	13103
C-042	Coating, Resin, Permanent, Engine Components	MIL-PRF-3043			Griggs Paints Blue Bake Resin	

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-043	Grease, Molybdenum Disulfide, Low & High Temperatures	MIL-G-21164	MIL-G-21164	1 LB	Any product listed in current issue of QPL-21164 ¹	Commercial
C-044	Anti-chafe Tape, Rubber Sealant				3M No. 5423, 1.0 inch wide	00612
			PF 5423	Roll (0.75 wide)	3M No. 5423, 0.75 inch wide	00612
					3M No. 5423, 0.375 inch wide	00612
C-045 EC-001	Potassium Hydroxide [KOH] (Caustic Potash), Solid Form, Technical Grade	ASTM E1456, Type I	None	N/A	Any product meeting specification	Commercial
C-046	Paint Remover, No Hazardous Air Pollutants	TT-R-2918	None	N/A	PR-3133	55208
		TT-R-2918	None	N/A	Turco 6813ED	1N6B3
C-047	Tape, Foam, Vinyl, Double Coated, 1/16 Thick	None	4416, .750 WIDE	Roll (0.75 wide)	3M No. 4416	52152
		None	4416, 1.00 WIDE	Roll (1 wide)	3M No. 4416	52152
C-048	Rubber Sheet, Flexible Cellular, Oil/Flame Resistant, 0.5 thick	ASTM D6576, Type II, Grade A, Soft	MILR6130TY2GR A.5SOFT	3 SQ FT	Any product meeting specification	Commercial
C-049	Torque Seal, Lacquer	None	F900, YELLOW	0.5 OZ	F-900	01195
C-051	Fire Retardant Penetrant, Interior, Spray	None	FXPF-32	1 QT	Flamex PF	Commercial
C-052	Contact Enhancer, Electrical, Concentrate	None	STABILANT 22	15 ML KIT	Stabilant 22	38948
C-053	Mineral Oil (All Grades)	None	None	N/A	Baby oil	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
C-054	Insulating Compound, Electrical (Conformal Coatings)	MIL-I-46058	MIL-I-46058, TY UR	1 GAL	Any product listed in current issue of QPL-46058 ¹	Commercial
C-055	Corrosion Preventive Compound	None	None	N/A	Ardrox AV 8	0L040
C-063	Primer for Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Class 5 or 10	BR1009-49/10PC TSOLID	1 QT	BR1009-49 10% Solids	09BV7
		299-947-038, Class 5 or 10	BR1009-49/5PCT PRIMER	1 QT	BR1009-49 5% Solids	09BV7
C-072	Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant, Low Temperature	MIL-PRF-87257	None	N/A	Royco 777	07950
		MIL-PRF-87257	None	N/A	Aeroshell Fluid 51	07950
		MIL-PRF-87257	None	N/A	Brayco Micronic 881	98308
C-099 EC-014	Chemical Film Material for Aluminum Bonding and Grounding	MIL-DTL-81706, Class 3, Form II	MIL-C-81706, CL3 PWDR	1 LB	Iridite 14-2	0PX54
		MIL-DTL-81706, Class 3, Form VI	None	N/A	Alodine 1132 (Touch-N-Prep)	71410
		MIL-DTL-81706, Class 3, Form II	None	N/A	Alodine 600	71410
C-100 EC-013 S-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form II	MILC81706 CL1AFORM11	2 LB		
		MIL-DTL-81706, Class 1A, Form II	None	N/A	Alodine 1200S (Immersion)	71410
		MIL-DTL-81706, Class 1A, Form II	None	N/A	Alumibond 1200 (Immersion)	1DZU6
		MIL-DTL-81706, Class 1A, Form III	MIL-C-81706 1 QT	1 QT		

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)







ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-100 EC-013 S-100	Chemical Film Material for Aluminum	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706 1 GAL	1 GAL		
		MIL-DTL-81706, Class 1A, Form III	None	N/A	Alodine 1201 (Brush-on)	71410
		MIL-DTL-81706, Class 1A, Form VI	None	N/A	Alodine 1132 (Touch-N-Prep)	71410
C-101	CPC, Solvent Cutback, Cold-Application (Hard Film)	MIL-PRF-16173, Grade 1	MIL-PRF-16173E CLASS1	1 GAL	Any product listed in current issue of QPL-16173 	Commercial
		MIL-PRF-16173, Grade 1	MIL-C16173 GR1 PT	1 PT	Any product listed in current issue of QPL-16173 	Commercial
		MIL-PRF-16173, Grade 1	MIL-C-16173,GR1 2OZ	2 OZ	Any product listed in current issue of QPL-16173 	Commercial
C-102 EC-015	Use C-101	None	None	N/A	Use C-101	N/A
C-103 S-103	Chromic Acid Treatment, Brush-on	AMS-M-3171, Type VI	None	N/A	Any product meeting specification	Commercial
C-104 EC-015	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-C-16173 GR2	1 GAL	Any product listed in current issue of QPL-16173 	Commercial
		MIL-PRF-16173, Grade 2	MIL-PRF-16173 GR2	1 PT	Any product listed in current issue of QPL-16173 	Commercial
		MIL-PRF-16173, Grade 2	MIL-C-16173,GR2 6OZ	6 OZ	Any product listed in current issue of QPL-16173 	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-104 EC-015	CPC, Solvent Cutback, Cold-Application (Soft Film)	MIL-PRF-16173, Grade 2	MIL-PRF-16173,C R2	2.5 OZ	Any product listed in current issue of QPL-16173 ¹ △	Commercial
C-105	Corrosion Preventive Compound, Fingerprint Remover	MIL-C-15074	MILC15074 GALLON	1 GAL	Any product listed in current issue of QPL-15074 ¹ △	Commercial
C-106 EC-016	Corrosion Preventive, Reciprocating Aircraft Engine	MIL-C-6529, Type II			Any product listed in current issue of QPL-6529 ¹ △	Commercial
C-107	Hydraulic Fluid, Petroleum Base, Preservation/Operation	MIL-PRF-6083			Any product meeting specification	Commercial
C-108	Cadmium Plating Solution, Brush-on	MIL-STD-865	LHE SELECTRON SPS507	1 QT	5070	11924
		MIL-STD-865	None	N/A	LDC 4803	57868
		MIL-STD-865	None	N/A	2023	11924
C-109	Use C-125	None	None	N/A	Use C-125	N/A
C-110 EC-017	CPC, Solvent Cutback, Cold-Application (Water Displacing Film)	MIL-PRF-16173, Grade 3	MIL-C16173 GR3 GL	1 GAL	Any product listed in current issue of QPL-16173 ¹ △	Commercial
		MIL-PRF-16173, Grade 3	MIL-C16173 GR3 PT	1 PT	Any product listed in current issue of QPL-16173 ¹ △	Commercial
C-111	Use C-020	None	None	N/A	Use C-020	N/A
C-111A	Use C-020	None	None	N/A	Use C-020	N/A
C-112 EC-085	Cadmium Chromate Conversion Coating	None	None	N/A	SSS 3002, Brush	76071

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-112 EC-085	Cadmium Chromate Conversion Coating	None	DALIC 5005	1 QT	Dalic 5005, Brush	11924
C-113	Calcium Fluoride [CaF ₂], Technical Grade	MIL-C-11162	CALCIUM FLOURIDE	1 LB	Calcium Fluoride	Commercial
C-114	Dichromate Treatment	AMS-M-3171, Type III	None	N/A	Any product meeting specification	Commercial
C-115	Magnesium Fluoride [MgF ₂], Technical Grade	JAN-M-621	None	N/A	Magnesium Fluoride	Commercial
C-116	Chromic Acid [CrO ₃] (Chromium Trioxide), Technical Grade	A-A-55827	A-A-55827	1 LB	Any product meeting specification	Commercial
C-117	Hydrofluoric Acid, Technical Grade	MIL-A-24641	None	N/A	Any product meeting specification	Commercial
C-118	Sodium Hydroxide [NaOH] (Caustic Soda), Technical Grade	ASTM D456	None	N/A	Any product meeting specification	Commercial
C-119	Use C-112	None	None	N/A	Use C-112	N/A
C-120	Calcium Sulfate [CaSO ₄], Technical Grade	None	CALCIUM SULFATE	4.4 LB	Calcium Sulfate	Commercial
		None	CALCIUM SULFATE 1.0	1.3 OZ	Calcium Sulfate	Commercial
C-121	Use C-100	None	None	N/A	Use C-100	N/A
C-122	Coating, Corrosion Preventative, for Aircraft Integral Tanks	AMS-C-27725, Type I	AMS-C-27725, TY I, GAL	1 GAL	833K086 (Base) and 930K088 (Activator)	0ZX56
C-123	Metal Surface Conditioner				Deoxidine 299 E-Pik 272 Cor D Smut 5215 Turco T4338	61102

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-124	Corrosion Preventive Compound, Oil Additive		BRAYCO 599	8 OZ	Brayco Concentrate 599	98308
C-125 EC-032	Preservative Oil, Light, Aerosol or Bulk				LPS 1	66724
					LPS 2	66724
			WD-40	12 OZ	WD 40	09137
					CRC-3.36	81349
					Dinitrol AV5	81349
					Oakite ProLine SPO 2	81349
					K-638	81349
					Dasco Guard 2411	81349
					Dasco Guard 2408	81349
					ACF-50	3AM52
					3M 5-Way Preventive	09137
					Castrol 4135	Commercial
					Castrol 4169	Commercial
C-126	Corrosion Preventive Compound, Aircraft Turbine Engine	MIL-PRF-8188			Any product listed in current issue of QPL-8188 Δ	Commercial
C-127 EC-080	Corrosion Preventive Compound, Petrolatum, High Temp	MIL-C-11796, Grade 3	MIL-C-11796 CL.3	1 LB	Any product listed in current issue of QPL-11796 Δ	Commercial
		MIL-C-11796, Grade 3	MIL-C-11796,CL 1	1 LB	Any product listed in current issue of QPL-11796 Δ	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-128	Corrosion Preventive Compound	None	XMAS6856K/160 CTG	160 ML	Mastinox 6856K	0ZX56
C-129	Use C-125	None	None	N/A	Use C-125	N/A
C-130	Cleaning Compound, Solvent, Oil Cooler	MIL-PRF-6864				Commercial
C-131	Use C-018	None	None	N/A	Use C-018	N/A
C-132	Brush Cadmium, Electro-cleaning Solution				SCM 4100	13929
					1010	11924
C-133	Tape, Anti-seize, Tetrafluoroethylene (TFE), with Dispenser	MIL-T-27730	None	N/A	Any product meeting specification	Commercial
C-134	Use C-483	None	None	N/A	Use C-483	N/A
C-135	Paint Remover, Hot Tank-Type, Water Rinsable	MIL-PRF-83936	None	N/A	Cee-Bee A-477	Z08B0
C-136	Caps and Plugs, ESDS Protective, Electrical Connector	None	None	N/A	3M No. 4270	20999
C-137	Cooling Agent	None	QUIKFREEZE	Each	Quik-Freeze MS-242N	18598
C-138	Staining Medium, Dye, Opaque	None	None	N/A	DYKEM Staining Color 81413	98148
		None	None	N/A	DYKEM Staining Color 81713	98148
C-139	Sealing Compound, Polythioether, Electrically Conductive	299-947-537	None	N/A	PR-2200 Class B	83574
		AMS 3266	PR1764-20Z	2 OZ	PR-1764 Class B	83574
		AMS 3266	PR1764	2 OZ	PR-1764 Class B	83574

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-140	Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	None	None	N/A	3M No. 468	04963
C-141	Twine, Fibrous, Nylon, Waxed, Lacing and Tying	MIL-T-713, Type P, Class 1	MILT713CLI	Roll (1 LB)	Any product meeting specification	Commercial
C-144	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-326, Type II, Class E	299-947-326, TYII, CLE	1 LB	120-38-F161	91610
C-145	Coating, Polyurethane, Two Parts, for Polycarbonate Plastic	None	None	N/A	POLANE T Polyurethane Enamel (F63B12)	54636
C-146	Coating, Polyurethane, Elastomeric, Rain Erosion Resistant	MIL-C-85322	None	N/A	Aeroglaze M1433 Coating	30676
C-147	Sodium Chromate, Tetrahydrate [Na ₂ CrO ₄ .4H ₂ O], Technical Grade	None	None	N/A	Sodium Chromate Tetrahydrate	Commercial
C-148	Tape, Polyester, Double Coated	None	415,.5 WIDE	Roll (0.5 wide)	3M No. 415	52152
C-149	Edge Sealer, Erosion Protective Tape	None	62-3553-1435-2	1.7 OZ	DP190	52152
C-151	Sealing Compound, Corrosion Inhibitive, Premixed, Prefrozen	299-947-074, Type IV	None	N/A	P/S 870 B-2	0ZX56
		299-947-074, Type IV	None	N/A	AC-665 B-2	1DWR5
C-152	Cable, Safety, CRES and Heat Resistant Steel, 0.032	AS4536	None	N/A	AS3510-02(any length)C	Commercial
C-153	Cable Ferrule, Safety, CRES and Heat Resistant Steel, 0.032	AS4536	None	N/A	AS3510-02F	Commercial
C-154	Wire, Safety, CRES, 0.015	NASM20995	MS20995C15	Roll (1 LB)		Commercial
C-155	Carbon Fabric, Woven, Epoxy Resin-Impregnated	299-947-321, Type II, Class B	299-947-321TYIIC LB	1 LB	HMF 937A/5HS	0LHZ4

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-156	Caps and Plugs, Protective, Electrical Connector	NAS 820	None	N/A	Any product meeting specification	Commercial
C-157	Tape, Adhesive, Pressure Sensitive, PTFE Coated Fiberglass	None	None	N/A	Tooltec A005	53912
		None	None	N/A	CHR A2005	1ECV7
C-158	Sealing Compound, Polythioether Rubber, Fuel Resistant, Fast Curing	AMS 3277, Type II, Class B	PR-1828 B-1/2	3 OZ	PR-1828 Class B	0ZX56
		AMS 3277, Type II, Class B	PR-1828 B-2	2.5 OZ KT	PR-1828 Class B	0ZX56
C-159	Penetrating Fluid, High Solvency, VOC compliant	NSF H2	None	N/A	KB 88 - The Ultimate Penetrant	66724
C-160	Tape, Adhesive, Hot-Melt, EC-055 Thermoplastic	None	S-1048	Roll (1 wide)	S-1048	06090
C-161	Sealing Compound, Dielectric	MIL-PRF-8516, Type II	MILS8516 TY2 CL2 PT	1 PT		
		MIL-PRF-8516, Type II	MILS8516TY2CL 2 12OZ	12 OZ		
		MIL-PRF-8516, Type II	None	N/A	CS 3100, Type II, Class 2	14439
		MIL-PRF-8516, Type II	None	N/A	WS-516, Type I and II	
C-162	Cable, Safety, Kit, Corrosion Resistant Steel, 0.032	AS4536	None	N/A	AS3511-02(any length)K	Commercial
C-163	Tape, Adhesive, Acrylic Foam, Black	None	4949, 750 WIDE	Roll (0.75 wide)	3M No. 4949	76381
C-164	Masking Tape, High Temperature, Fine Line	None	None	N/A	3M No. 222	52152

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-165	Tape, Masking, High Temperature, Pressure Sensitive	None	2525 1.00 WIDE	Roll (1 wide)	3M No. 2525	52152
		None	None	N/A	3M No. 214	52152
C-166	Glass Fabric, Woven, Epoxy Resin-Impregnated	299-947-076, Type C	299-947-076 TY C	1 LB		97499
		299-947-076, Type C	None	N/A	Rigidite 3200/7781	04622
		299-947-076, Type C	None	N/A	F185-1/7781	ISPP9
		299-947-076, Type C	299-947-076, TY C	1 LB		97499
C-174	Adhesive, Instant, Ethyl-2-Cyanoacrylate, Medium/High Viscosity	A-A-3097, Type II, Class 3	MILA46050TYIIC L3 1OZ	1 OZ	Any product meeting specification	Commercial
		A-A-3097, Type II, Class 3	MILA46050TYIIC L3 8OZ	8 OZ	Any product meeting specification	Commercial
C-192	Thread, Nylon, Twisted Multiple Cord, Bonded Finish, General Purpose	A-A-59826, Type II, Class A	None	N/A	Any product meeting specification	Commercial
C-200	Putty, General Purpose, Non-hardening, Corrosion Inhibiting	MIL-PRF-8116	MILP8116	16 OZ	Any product meeting specification	Commercial
C-201 EC-033	Zinc Chromate Primer	TT-P-1757	TT-P-1757-CP G	3 OZ	Any product meeting specification	Commercial
		TT-P-1757	TT-P-1757	12 OZ	Any product meeting specification	Commercial
		TT-P-1757	TT-P-1757CP G/CLR T	1 GA	Any product meeting specification	Commercial
C-202	Primer, Catalyzed Epoxy	299-947-060, Type I	SUPER KOROPON	2 QT KIT	Super Koropon	K5635
		299-947-060, Type I	SUPER KOROPON GAL	1 GAL KIT	Super Koropon	K5635

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-202A	Use C-204	None	None	N/A	Use C-204	N/A
C-203	Use C-245	None	None	N/A	Use C-245	N/A
C-204 EC-036 S-204	Primer, Epoxy Polyamide, High-Solids	MIL-PRF-23377, Type I or II, Class C2	MIL-PRF-23377, TY I	2 GAL KIT		Commercial
		MIL-PRF-23377, Type I or II, Class C2	MIL-PRF-23377TI ,CLC	1 PT		Commercial
C-205	Thinner, Dope, Cellulose Nitrate	MIL-T-6095			Any product meeting specification	Commercial
C-206 EC-057	Thinner, Nitrate Cellulose Lacquer	MIL-T-19544				Commercial
		A-A-857				Commercial
C-207	Use C-210	None	None	N/A	Use C-210	N/A
C-208	Epoxy/Zinc Coating	299-947-204			02-X-011 Base + Catalyst + Zinc Dust	
		299-947-204	299-947-204 2GAL	2 GAL		
C-209	Use C-245	None	None	N/A	Use C-245	N/A
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	GRAY 36118 1.5 GAL	1.5 GAL KIT		Commercial
		MIL-PRF-22750	GRAY 36118 1.0 GAL	1 GAL KIT		Commercial
		MIL-PRF-22750	MIL-C-22750 GRA36231	2 GAL KIT		Commercial
		MIL-PRF-22750	BROWN, 20040	1 QT KIT		Commercial
		MIL-PRF-22750	36307 GRAY	1 QT		Commercial
		MIL-PRF-22750	GRAY 36118 4 OZ	4 OZ		Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-210	Coating, Epoxy, High-Solids	MIL-PRF-22750	None	N/A		Commercial
		MIL-PRF-22750	None	N/A		Commercial
C-211	Shellac Varnish	A-A-8, Type I, Grade B, Body 2	TT-S-300 TYI GRADEB	1 GAL		Commercial
C-212	Sodium Dichromate [Na ₂ Cr ₂ O ₇], Technical Grade	A-A-59123	None	N/A	Any product meeting specification	Commercial
C-213	Use C-245	None	None	N/A	Use C-245	N/A
C-214	Antistatic Coating	299-947-085			528X306	85570
C-215	Use C-216	None	None	N/A	Use C-216	N/A
C-216	Lacquer, Gloss, Clear	A-A-3165			Any product meeting specification	Commercial
C-217	Peelable Plastic Coating				Micropeel	
					Glo-Rubber Indian Red	
			TURCO 5580-G	5 GAL	Turco T-5580G	61102
C-218	Coating, Aliphatic Polyurethane, Chem. Agent Resistant	MIL-C-46168, Type II				Commercial
C-219	Liquid Epoxy	MIL-P-38714, Type I, Grade 0	EPON828 W/DTA CATLST	1 PT	Epon 828	86961
C-220	Catalyst, DTA (for Epoxy Resins)	None	None	N/A	EPI-Cure 3223 (Diethylenetriamine)	
C-221	Chemical Conversion Coating Material, Ferrous Surface	TT-C-490				02731
C-222	Catalyzed Epoxy Primer (3 Part Kit)				Catalyzed Epoxy Primer (3 Part Kit)	22783

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-223	Nonslip Compound, Walkway	A-A-59166, Type II	BLK,37038 GAL	1 GAL	Any product meeting specification	Commercial
C-224	Paint, Conductive, Silver				P/N 13220E8197	97403
C-225	Release Film, High Temperature, Non-perforated	None	None	N/A	E3760	85670
		None	None	N/A	Tedlar PVF film, grade 200SG40TR	18873
C-226	Synthetic Lacquer, Camouflage, Exterior, VOC Compliant	A-A-3164			Any product meeting specification	Commercial
C-227	Use C-228	None	None	N/A	Use C-228	N/A
C-228	Sanding Surfacers, Polyurethane, VOC Compliant	299-947-127			09GY006/09GY006C AT, Parts A & B	33461
C-229	Use C-245	None	None	N/A	Use C-245	N/A
C-230	Use C-245	None	None	N/A	Use C-245	N/A
C-231	Use C-245	None	None	N/A	Use C-245	N/A
C-232	Polyurethane Conductive Coating, Copper Filled	299-947-328			Lightning Guard, 599-A8574-1	87354
		299-947-328				97499
		299-947-328			Antenna Guard, Y-1306	87354
C-233	Polyurethane Enamel	299-947-117, Type II			Imron 6000 (Basecoat/Clearcoat)	Commercial
		299-947-117, Type I			Imron Polyurethane Enamel	Commercial
C-234	Primer, Urethane Compatible	299-947-322, Type II			DeSoto, 513x411 Primer Base, 910x811 Curing Solution	97460

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-234	Primer, Urethane Compatible	299-947-322, Type I			DeSoto, 513x384 Primer Base, 910x456 Curing Solution	97460
C-235	Polyurethane Thinner	MIL-T-81772, Type I			(Polyurethane)	Commercial
		MIL-T-81772, Type II			(Epoxy)	Commercial
		MIL-T-81772, Type III	MILT81772 TYIII GAL	1 GAL	(Acrylic and Alkyd)	Commercial
C-236	Use C-259	None	None	N/A	Use C-259	N/A
C-237	Varnish, Alkaline Resistant	A-A-1800, Type I or II			Any product meeting specification	Commercial
C-238	Use C-298	None	None	N/A	Use C-298	N/A
C-239	Use C-245	None	None	N/A	Use C-245	N/A
C-240	Enamel Overcoat, Alkyd, Exterior, Low VOC	TT-E-489				Commercial
C-241	Coating, Aliphatic Polyurethane, Chem. Agent Resistant	MIL-C-53039				Commercial
C-242	Use C-436	None	None	N/A	Use C-436	N/A
C-243	Sodium Thiosulphate [Na ₂ S ₂ O ₃], Anhydrous, Technical Grade	None	None	N/A	Sodium Thiosulphate	Commercial
C-244	Use C-248	None	None	N/A	Use C-248	N/A
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MIL-PRF-85285,1 2197	1 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285,TYI,3 6440	2 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285TYI-13 538	2 GAL KIT		Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-245	Coating, Polyurethane, Aircraft Support	MIL-PRF-85285, Type I	MILC85285TYI-27 925	1 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285TY1,C LEAR	3 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285TY1C OL17925	2 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285,TYI,1 6440	2 GAL KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285,TYI,3 7038	5 QT KIT		Commercial
		MIL-PRF-85285, Type I	MILC85285,TYI,1 7178	5 QT KIT		Commercial
		MIL-PRF-85285, Type I	None	N/A		Commercial
C-246 EC-036	Coating, Epoxy Primer, Waterborne	MIL-PRF-85582, Type I, Class C2	EWDE072	5 QT KIT	EWDE072A/B	85570
C-247	Use C-262	None	None	N/A	Use C-262	N/A
C-248	Coating, Polymer	None	SERMETEL 1122	1 PT	SermeTel 1122	58913
C-249	Varnish	MIL-V-173 Amend 2, Type 2				Commercial
		MIL-V-173 CP2				Commercial
		MIL-V-173				Commercial
		MIL-V-173 CP1				Commercial
C-250	Adhesive, Silicone Base				6282PC12	80064
					RTV-738	71984
					217-548	80064

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-251 S-392	Sealant, Corrosion Inhibitor	MIL-PRF-81733	None	N/A	AC-665 B-1/2	1DWR5
		MIL-PRF-81733	MIL-PRF-81733 2.5 OZ	2.5 OZ		
		MIL-PRF-81733	MILS81733TY II-2 QT	1 QT		
		MIL-PRF-81733	None	N/A	P/S 870 B-1/2	0ZX56
		MIL-PRF-81733	PR 870 A-2	6 Oz	P/S 870 A-2	0ZX56
		MIL-PRF-81733	MILS81733TY II-2 PT	1 PT		
C-252	Adhesive Film, Intermediate Cure Temperature	299-947-320, Type I	None	N/A	3M No. AF 163-2K	6A670
C-253	Adhesive Primer, Intermediate Cure Temperature	299-947-320, Class 1	EC3924B QT	1 QT	3M No. EC 3924B	6A670
C-254	Kraft Paper, Wrapping, Untreated and Unbleached	None	None	N/A	Kraft Paper	Commercial
C-255	Carbon Fabric, Woven, Dry, Plain Weave	299-947-499, Type II, Class 2, Form 3K-PW	None	N/A	PW 60 195GSMTR7X12AS4 GP-3K	0LHZ4
		299-947-499, Type II, Class 2, Form 3K-PW	PW42195GSMTR 7X12AS4	1 FT	PW 42 195GSMTR7X12AS4 GP-3K	0LHZ4
C-256	Release Film, Fluoropolymer, Non-perforated	None	MB1679	Roll (50x500')	A5000	0F451
		None	None	N/A	A4000	53912
		None	None	N/A	Wrightlon 5200	53912
C-257	Bagging Film, Nylon	None	None	N/A	Wrightlon 7400	53912

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-258	Breather Felt, Nonwoven, Polyester, 10 oz, High Pressure	None	None	N/A	Airweave Super 10	53912
C-259	Sealant Tape, Extruded, General Purpose, Cure Temp < 375°F	None	GS100B.125X.50	Each	GS 100 (1/8 x 1/2)	53912
C-260	Masking Tape, Polyester, High Temperature	None	8403GREEN1/4IN X72YDS	Each	3M No. 8403	76381
		None	8403	Each	3M No. 8403	76381
C-261	Epoxy Resin, Wet Layup	BMS-8-301, Class 1, Grade 1			Hysol EA9390	1UW17
		BMS-8-301, Class 1, Grade 1			Hysol EA9390	1UW17
C-262	Anti-seize Compound, Thread, Molybdenum, Disulfide, Petrolatum	MIL-PRF-83483	MIL-PRF-83483	1 LB	Any product meeting specification	Commercial
C-263	Sealant, Anaerobic, Threadlocking	None	LOCTITE 243	50 ML	Loctite 243	05972
C-265	Coating, High Solids Polyurethane, Mar-Resistant	299-947-494	18BK006/18BK006CAT	Each	18 Series Coating	33461
		299-947-494	None	N/A	838G045BE/930G976	0ZX56
		299-947-494	None	N/A	831G160BE/930G976	0ZX56
		299-947-494	18W010/18W010 CATT	Each	18 Series Coating	33461
C-285	Isopropyl Alcohol, 99%	None	None	N/A	Isopropyl Alcohol	Commercial
	Isopropyl Alcohol, 70%, Rubbing Type	None	None	N/A	Isopropyl Alcohol	Commercial
C-292	Strap, Tiedown, Adjustable, Self-Clinching, Plastic	None	PLT1M-C702Y	Each	Cable tie, 4.0, miniature cross section	06383

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-292	Strap, Tiedown, Adjustable, Self-Clinching, Plastic	None	PLT2S-C702Y	Each	Cable tie, 7.4, miniature cross section	06383
C-293	Tubing, Insulation, Heat Shrinkable	None	DR-25 1/4-0	1 FT	DR-25-1/4-0-SP	06090
		None	None	N/A	DR-25-1/8-0-SP	06090
		None	None	N/A	DR-25-3/16-0-SP	06090
C-298	Adhesive, Epoxy, Metal Repair & Fairing Compound		DEVCON 2-TON	1 OZ	Devcon 2-Ton	16059
C-299	Sealant, Anaerobic, Threadlocking, Fast Curing	ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Loctite 222	05972
		ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Permabond LM113	3R2V1
		ASTM D5363, Group 03, Class 1, Grade 1	MILS46163TY11 GRM50CC	50 CC		
		ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Saf-T-Lok T22	4Z400
C-300	Adhesive, Silicone Base, Two-Part	299-947-152, Type I, Class 1	None	N/A	Silgrip SR-529 with 3% SRC-18 Catalyst	01139
		299-947-152, Type I, Class 1	None	N/A	Dapco 3300	58093
		299-947-152, Type I, Class 1	299-947-152TICL 1 1OZ	1 OZ		
		299-947-152, Type I, Class 1	299-947-152TYIC L1 QT	1 QT		

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-301	Adhesive, Urethane Base	299-947-066, Type I			3M No. EC3549 (Tan)	6A670
		299-947-066, Type I	299-947-066 TY1	1 QT		
		299-947-066, Type I	299-947-066, TY1 4OZ	4 OZ		
		299-947-066, Type I			Dapcotac 3013 (Natural Color)	58093
C-302 EC-010	Use C-339	None	None	N/A	Use C-339	N/A
C-303	Adhesive, Acrylic Monomer-polymer Base, for Acrylic Plastics	299-947-092	None	N/A	PS-18 (Three components)	0VHD7
		299-947-092	None	N/A	PS-30 (Two components)	0VHD7
		299-947-092	299-947-092 PT	1 PT		
C-304 EC-046	Solvent, Drycleaning, Degreaser	MIL-PRF-680, Type II	PD680	1 GAL	Any product meeting specification	Commercial
		MIL-PRF-680, Type II	MIL-PRF-680TYII	5 GAL	Any product meeting specification	Commercial
C-305 EC-028 S-305	Aliphatic Naphtha	TT-N-95, Type II	TT-N-95, TYII 1GAL	1 GAL	Any product meeting specification	Commercial
C-306 EC-059	Toluene, Technical Grade	A-A-59107	TTT548	55 GAL	Any product meeting specification	Commercial
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2			RTV-108 (Translucent)	01139
		299-947-152, Type I, Class 2	299-947-152, TY1, CL2	3 OZ		

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-307	Adhesive, Silicone Base	299-947-152, Type I, Class 2	299-947-152TY1 CL2CLR	3 OZ		
		299-947-152, Type I, Class 2	299-947-152T1CL 2 WHT	3 OZ		
		299-947-152, Type I, Class 2			RTV-732 (White, Black or Clear)	71984
C-308 EC-005 S-308	Sealant, Temp. & Fuel Resistant, High Adhesion	299-947-107, Type III, Class 7			PR-1440, Class B-2	83574
		299-947-107, Type III, Class 7			Pro-Seal 890-B2	83574
		299-947-107, Type III, Class 7			PR-1440, Class B-2	83574
		299-947-107, Type III, Class 7	299-947-107 TY3 CL7	50 GRAMS		
		299-947-107, Type III, Class 7			CS3204-B2	14439
		AMS-S-8802, Class B2			CS3204-B2	14439
		AMS-S-8802, Class B2	AMS-S-8802 6OZ	6 OZ		
		AMS-S-8802, Class B2	AMS-S-8802 PT	1 PT		
AMS-S-8802, Class B2	AMS-S-8802 QT	1 QT				
C-309 EC-081 S-309	Methyl-Ethyl-Ketone (MEK)	ASTM D740	METHYL ETHYL KETONE	1 GAL	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-310	Adhesive, Rubber Base, General Purpose, Fuel & Oil	299-947-107, Type III, Class 6			Magna-Tac M-24	85091
		299-947-107, Type III, Class 6	299-947-107 TY3 CL6	1 QT		
		299-947-107, Type III, Class 6	299-947-107TY3 CL6 8OZ	8 OZ		
		299-947-107, Type III, Class 6			Magna-Tac M-24	5B981
C-311 EC-004	Adhesive, Rubber Base, General Purpose, Vinyl	299-947-107, Type II, Class 4	299-947-107T2CL 4 4OZ	4 OZ		
		299-947-107, Type II, Class 4	299-947-107TY2 CL4 QT	1 QT		
		299-947-107, Type II, Class 4	299-947-107TYII CL4	1 PT		
		299-947-107, Type II, Class 4			A-1231-B	1HS43
C-312 EC-007	Adhesive, Rubber Base, General Purpose	None	847	5 OZ	3M EC-847	6A670
C-313	Adhesive, Room Temperature Cure, General Purpose	299-947-099			Hysol EA9340	1UW17
		299-947-099	299-947-099 11OZ	11 OZ		
		299-947-099			Araldite AV1258/HV1258	02684
		299-947-099			Metalset A-4	90414
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III			RTV-730 (White)	71984

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-314	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type III	299-947-152, TY III	6 OZ		
		299-947-152, Type III			FRV-1106	01139
C-315	Nitrogen [N], Gaseous, Technical Grade	A-A-59503, Type I	None	N/A	Any product meeting specification	Commercial
C-316 EC-002 S-316	Acetone	ASTM D329	ACETONE GALLON	1 GAL	Any product meeting specification	Commercial
C-317 S-317	Adhesive, Epoxy Base, Heat Resistant, General Purpose	299-947-100, Type II, Class 2	None	N/A	Hysol EA9392	1UW17
		299-947-100, Type II, Class 2	None	N/A	Magnobond 6398	22121
		299-947-100, Type II, Class 2			Hysol EA934NA	1UW17
		299-947-100, Type II, Class 2	299-947-100TY2 CL2PT	1 PT	299-947-100, TY II, CL 2	None
		299-947-100, Type II, Class 2	299-947-100TY2 CL2QT	1 QT	299-947-100, TY II, CL 2	None
		299-947-100, Type II, Class 2	299-947-100TY2 CL2G50	50 GRAMS	299-947-100, TY II, CL 2	None
C-317A	Use C-317	None	None	N/A	Use C-317	N/A
C-318 S-318	Cleaning Compound, Alkaline Base, Detergent	MIL-C-87936, Type I	MILC87936TYI 5GAL	5 GAL		Commercial
C-319	Use C-305, C-309, C-389, or C-524	None	None	N/A	Use C-524	N/A
		None	None	N/A	Use C-305, C-309, or C-389	N/A

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	ASTM D5363, Group 01, Class 1, Grade 1	None	N/A	Permabond HL126	3R2V1
		MIL-S-22473, Grade N, Form R	None	N/A	Permabond ASC10	3R2V1
		ASTM D5363, Group 01, Class 4, Grade 2	MIL-S-22473GRC V50CC	50 CC	Loctite 083	05972
		MIL-S-22473, Grade N, Form R	MIL-S-22473,GR N4.5OZ	4.5 OZ	Loctite 7649	05972
		ASTM D5363, Group 01, Class 1, Grade 1	MILS22473 GR AA 50CC	50 CC	Loctite 089	05972
		ASTM D5363, Group 01, Class 6, Grade 1	MIL-S-22473,GR H 50CC	50 CC	Loctite 078	05972
		ASTM D5363, Group 01, Class 2, Grade 3	MIL-S-22473,GR AV	50 CC	Loctite 087	05972
		ASTM D5363, Group 01, Class 5, Grade 1	MIL-S-22473,GR E	50 CC	Loctite 080	05972
		MIL-S-22473, Grade T, Form R	LOCQUIC T 747	6 OZ	Loctite 7471	05972
		MIL-S-22473, Grade N, Form R	LOCQUIC N 6 OZ	6 OZ	Loctite 7649	05972
		ASTM D5363, Group 01, Class 6, Grade 1	MILS22473GRH 50CC	50 CC	Loctite 078	05972

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-320	Sealant, Anaerobic, Threadlocking, Slow Curing	MIL-S-22473, Grade T, Form R	None	N/A	Permabond ASC10	3R2V1
		MIL-S-22473, Grade N, Form R	LOCTITE 7649	1.75 OZ	Loctite 7649	05972
C-321	Use C-317	None	None	N/A	Use C-317	N/A
C-322	Adhesive, Epoxy Base, Room Temperature Cure, High Peel Strength	DOD-A-82720	2216B/A	1 PT	3M No. 2216 B/A Gray	04963
		DOD-A-82720	EC2216 B/A TAN N/S	1.7 OZ	3M No. 2216 B/A Tan NS	04963
		DOD-A-82720	2216B/A 2OZ	2 OZ	3M No. 2216 B/A	04963
C-323	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type I	None	N/A	RP1257-3	02684
		299-947-072, Type I	299-947-072TYP E 1 PT	500 GRAMS		
		299-947-072, Type I	None	N/A	Hysol EA960	1UW17
C-324	Adhesive, Rubber Base, General Purpose, Neoprene	299-947-107, Type I, Class 1			3M Scotchgrip 1300L (EC1300L)	6A670
		299-947-107, Type I, Class 1			Pro-Seal 596	83574
		299-947-107, Type I, Class 1			3M Scotchgrip 1300	6A670
		299-947-107, Type I, Class 1	299-947-107 TYPE-1	1 PT		
C-325	Adhesive, Rubber Base, EC-006 General Purpose, Urethane	299-947-107, Type II, Class 5	299-947-107 TY2CL5PT	1 PT		

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-325	Adhesive, Rubber Base, General Purpose, Urethane	299-947-107, Type II, Class 5	EC776-2OZ	2 OZ	3M EC-776	6A670
C-326	Denatured Alcohol	None	DENATURED ALCOHOL	1 GAL	Denatured Alcohol	Commercial
C-327	Adhesion Promoter, Metal Bonds	None	INSTABOND 900	1 PT	INSTAbond 900	5V071
C-328	Sealant, Low Adhesion, Removable Panels	AMS 3267/4	None	N/A	PR-1428, Class B-2	83574
		AMS 3267/4	None	N/A	AC-615, Class B-2	1DWR5
		AMS 3284, Type I	AMS 3267	3.5 OZ KIT		
		AMS 3284, Type I	AMS3284, TY 1	1 QT KIT		
		AMS 3284, Type I	None	N/A	PR-1773, Class B-2	83574
		299-947-074, Type III	None	N/A	PR-1773, Class B-2	83574
		AMS 3284, Type I	None	N/A	CS 3330, Class B-2	14439
		AMS 3284, Type I	AMS 3267 2OZ	2 OZ KIT		
	AMS 3284, Type I	AMS3284 TY 1	25 GRAMS KIT			
C-329	Use C-320	None	None	N/A	Use C-320	N/A
C-330	Cleaner, Glass and Acrylic Plastic	None	None	N/A	TEND Antistatic Plastic Cleaner	1N960
		None	None	N/A	CADCO Antistatic Plastic Cleaner	
		None	None	N/A	GLISTEN Glass Cleaner	20913
		None	None	N/A	PRIST Acrylic, Plastic & Glass Cleaner	0YFV5

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-330	Cleaner, Glass and Acrylic Plastic	None	None	N/A	Airglas AGL Glass Cleaner	70127
		None	None	N/A	210 Plastic Cleaner / Polish	3J317
		None	GLASS CLEANER	Each	GLEME Glass Cleaner	31834
C-331	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type I	299-947-125 TYPE 1	1 QT		
		299-947-125, Type I	299-947-125TY15 OGM	50 GRAMS		
		299-947-125, Type I	EA9309NA	25 GRAMS KIT	Hysol EA 9309NA	33564
C-332	Use C-362	None	None	N/A	Use C-362	N/A
C-333	Adhesive, Rubber Base, General Purpose, Styrofoam	299-947-107, Type I, Class 2	None	N/A	3M Scotch-Grip Industrial Adhesive 4550	6A670
		299-947-107, Type I, Class 2	299-947-107TY1 CL2 PT	1 PT		97499
		299-947-107, Type I, Class 2	299-947-107TY1 CL2GA	1 GAL		97499
C-334	Use C-309, C-389, or C-563	None	None	N/A	Use C-309, C-389, or C-563	N/A
C-335	Use C-320	None	None	N/A	Use C-320	N/A
C-336	Adhesive				Hysol Epoxy Patch Kit No. 0151 (Clear)	04347
C-337	Primer, Silicone Adhesive	None	S2260	1 PT	Dow Corning S 2260 Prime Coat	71984

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-337	Primer, Silicone Adhesive	None	S2260-4OZ	4 OZ	Dow Corning S 2260 Prime Coat	71984
		None	SS4004	1 PT	SS4004 Silicone Primer	01139
		None	1200 PRIMER	1 PT	Dow Corning 1200 Prime Coat	71984
C-338	Use C-356	None	None	N/A	Use C-356	N/A
C-339 EC-008	Ethyl Alcohol	A-A-59342, Grade 3	None	N/A	Any product meeting specification	Commercial
C-339A	Use C-385	None	None	N/A	Use C-385	N/A
C-340	Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	299-947-111, Type II	None	N/A	3M No. 467	04963
		299-947-111, Type I	465	1 Roll	3M No. 465	04963
C-341	Oakite Rust Stripper				Oakite 90	44389
C-342	Cleaning Compound, Aircraft Surface	MIL-C-43616			Oakite 8	44389
C-343	Electrolytic Cleaner, Alkaline				Anodex NP-2	34568
					Cor Clean 6000	
					Oakite 90	44389
					O-S 590 Cor Clean 6300	
C-344 S-344	Alcoholic Phosphoric Cleaner	MIL-C-10578, Type I	TURCO W.O.1 GAL	1 GAL	Turco W.O. #1	1N6B3
C-345	Use C-304 or C-305	None	None	N/A	Use C-304 or C-305	N/A
C-346	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type II	None	N/A	RTV-106	01139

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-346	Adhesive, Silicone Base, Room Temperature Vulcanizing	299-947-152, Type II	None	N/A	RTV-736	71984
		299-947-152, Type II	299-947-152 TY2 3OZ	3 OZ		
C-347	Use C-305	None	None	N/A	Use C-305	N/A
C-348	Alkaline Steel Cleaner				Oakite LFL	44389
C-349	Edge Sealer, Vinyl and Mylar Films	None	3950 SCOTCHCAL	8 OZ	3M Scotchcal No. 3950	04963
C-350	Ammonium Nitrate [NH4NO3], Technical Grade	A-A-59476	None	N/A	Any product meeting specification	Commercial
C-351	Adhesive	None	Q2-0046	Each	Q2-0046	71984
C-352	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 1, Grade 1	None	N/A	Permabond HL138	3R2V1
		ASTM D5363, Group 04, Class 1, Grade 1	None	N/A	Saf-T-Lok R01	4Z400
		ASTM D5363, Group 04, Class 1, Grade 1	609	50 CC	Loctite 609	05972
		ASTM D5363, Group 04, Class 1, Grade 2	None	N/A	Loctite 640	05972
		ASTM D5363, Group 04, Class 1, Grade 2	HM160	Each	Permabond HM160	3R2V1
C-353 S-353	Sealing Compound, One-part Silicone, Firewall	AMS 3374, Type I	DAPCO 2100	6 OZ	Dapco 2100	58093

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-353	Sealing Compound, S-353 One-part Silicone, Firewall	AMS 3374, Type I	None	N/A	Dapco 2200	58093
C-354	Use C-320	None	None	N/A	Use C-320	N/A
C-355	Detergent, Mild Liquid				Mild Detergent	Commercial
C-356	Sealant, Anaerobic, Retaining Compound	ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Saf-T-Lok R80	4Z400
		ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Loctite 635	05972
		ASTM D5363, Group 04, Class 2, Grade 1	ASTM D5363, AN0421	50 CC		
		ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Permabond HM161	3R2V1
C-357	Adhesive, Rubber Base, Spray EC-003	299-947-107, Type I, Class 3			3M Spray Adhesive No. 77	6A670
		299-947-107, Type I, Class 3				97499
C-358	Use C-122	None	None	N/A	Use C-122	N/A
C-359	Use C-320	None	None	N/A	Use C-320	N/A
C-360	Sealing Compound				Pro-Seal 711-EP-B2	83527
C-361	Adhesive Film	299-947-121, Type II			Cytec N-1113	04622
		299-947-121, Type II			FM 53	09BV7
		299-947-121, Type II			3M No. AF 163-2(U/S)	6A670
		299-947-121, Type II				97499

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-361	Adhesive Film	299-947-121, Type II			FM 87	09BV7
C-362	Adhesive Film, Intermediate Cure	299-947-121, Type I			FM 87	09BV7
		299-947-121, Type I			3M No. AF 163-2K	6A670
		299-947-121, Type I			FM 53	09BV7
		299-947-121, Type I			Cytec N-1113	04622
		299-947-121, Type I			AF-126 0.08 lbs/sq.ft	55119
		299-947-121, Type I			FM 123-2 0.06 lbs/sq.ft	09BV7
		299-947-121, Type I			AF-126 0.06 lbs/sq.ft	55119
		299-947-121, Type I			AF-126-2 0.06 lbs/sq.ft	55119
		299-947-121, Type I			Narmco 227 0.06 lbs/sq.ft	04622
		299-947-121, Type I			AF-126-3 0.06 lbs/sq.ft	55119
		299-947-121, Type I			Hysol EA9601 0.06 lbs/sq.ft	94565
C-363 S-363	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	299-947-100TY2 CL3PT	1 PT		
		299-947-100, Type II, Class 3	299-947-100T2CL 3 25G	25 GRAMS		
		299-947-100, Type II, Class 3	None	N/A	Hysol EA956	1UW17
		299-947-100, Type II, Class 3	None	N/A	Magnobond 6367	22121

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-364	Adhesive Film, Epoxy, Modified, Supported and Unsupported	299-947-038, Type I	None	N/A	FM1000	09BV7
		299-947-038, Type I	FM1000-EP15	1 SQ FT	FM1000-EP15	09BV7
		299-947-038, Type I	FM1000-5302	1 SQ FT	FM1000-5302	09BV7
C-365	Adhesive				Eccobond 45 / Catalyst 15	
C-366	Adhesive				Fusor 304-1 and 304-2	30676
C-367	Use C-353	None	None	N/A	Use C-353	N/A
C-368 EC-063	Etchant for Teflon	None	TETRA ETCH	500 ML	Tetra Etch	60622
C-369	Chromate Test Strip, Cadmium Conversion Coating				9859-N42	59728
C-370	Sealant Tape, Extruded, Cure Temp < 400°F	None	None	N/A	Tacky-Tape SM 5127	53309
C-371	Use C-344	None	None	N/A	Use C-344	N/A
C-372	Fairing Compound, Aerodynamic, Polyester Filler	299-947-072, Type IV	None	N/A	APF 4, Grey	
C-373	Use C-253	None	None	N/A	Use C-253	N/A
C-374	Use C-337	None	None	N/A	Use C-337	N/A
C-375	Use C-337	None	None	N/A	Use C-337	N/A
C-376 EC-020	Adhesive, Rubber Base	299-947-107, Type IV, Class 8	A1503B	1 QT	A1503B	1HS43
C-377 EC-019	Adhesive, Rubber Base, Accelerator	299-947-107, Type IV, Class 8	299-947-107TY4 CL8	1 QT	A1343B	1HS43

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-378 EC-021	Estane Primer	299-947-107, Type IV, Class 9	THIXON P-5-2	1 GAL	Thixon P-5-2	0KED9
C-379	Methyl-Isobutyl-Ketone (MIBK)	ASTM D1153			Any product meeting specification	Commercial
C-380	Use C-334	None	None	N/A	Use C-334	N/A
C-381	Use C-363	None	None	N/A	Use C-363	N/A
C-382	Use C-308	None	None	N/A	Use C-308	N/A
C-383	Use C-024	None	None	N/A	Use C-024	N/A
C-384	Use C-355	None	None	N/A	Use C-355	N/A
C-385 EC-009	Isopropyl Alcohol, 99%, Electronic Applications	TT-I-735	TT-I735 ISOPROPYL	1 GAL	Any product meeting specification	Commercial
C-386	Solvent, Cleaner, VOC compliant	None	None	N/A	Prep-Sol 3919S	18873
C-387	Use C-331	None	None	N/A	Use C-331	N/A
C-388	Aromatic Naphtha	TT-N-97, Type I, Grade A				Commercial
C-389	Stoddard Solvent, Mineral Spirits, Degreasing	MIL-PRF-680, Type I				Commercial
C-390	Ethyl Acetate	TT-E-751	TTE751	1 GAL	Ethyl Acetate	Commercial
C-391	Lubricant, Cleaning and Preservation	MIL-L-63460				81349
C-392 S-392	Use C-251	None	None	N/A	Use C-251	N/A
C-393	Luse-Lok				No. 2109	Commercial
C-394	De-icing/Anti-icing Fluid, Aircraft, SAE Type I	AMS 1424	None	N/A	ARCOplus, Type I	0FWN7

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-394	De-icing/Anti-icing Fluid, Aircraft, SAE Type I	AMS 1424	OCTAFLO DILUTE TYPE1	5 GAL	Octaflo Type I	82925
		AMS 1424	None	N/A	Kilfrost DF Plus (88)	4V360
C-395	Titanium Cleaner		PASAJEL107	1 QT	Pasa-Jell 107	2B665
C-396	Sealing Compound, Polythioether, Fuel and High Temperature	MIL-S-29574, Type I, Class B-1/2	MILS29574TY1 CLB 6OZ	6 OZ	Any product meeting specification	Commercial
C-397	Adhesive, Room Temperature Cure, High Peel Strength	299-947-125, Type II, Class 2	299-947-125TY2 CL2	1 QT	EA 9320NA	33564
C-398	Detergent, General Purpose, Nonionic Liquid	MIL-D-16791				Commercial
C-399	Adhesive, Urethane Superfast, Windows				3M No. 08609	04963
C-400	Insulation, Thermal, Aluminum Backed Fiberglass, Reflective Facing	ASTM C665, Type III	150-026	4 SQ FT	Any product meeting specification	Commercial
C-401	Tape, Aluminum Foil/Glass Cloth, High Temperature	None	363,2.00 WIDE	Roll (2 wide)	3M No. 363	04963
C-402	Use C-401	None	None	N/A	Use C-401	N/A
C-403	Tape, Adhesive, Pressure Sensitive, Glass Cloth, Heat Resistant	299-947-110, Type I	361,2IN	Roll (2 wide)	3M No. 361	76381
C-404 S-404	Glass Cloth, 0.010 inch thick	AMS-C-9084, Class 2, Type VIIIA	AMS-C-9084CL2 TY8A	Roll (1 LB)	Any product meeting specification	Commercial
		AMS-C-9084, Class 1, Type VIIIA	MILC9084 CL1 TY8A	3 SQ FT	Any product meeting specification	Commercial
		AMS-C-9084, Class 2, Type VIIIB	AMS-C-9084T8B CL2	3 SQ FT	Any product meeting specification	Commercial
C-405 EC-025	Wire, Safety, CRES, 0.032, AS100028	AS5685	AS100028	Roll (5 LB)		Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-406 EC-011	Abrasive Cloth or Paper, Aluminum Oxide	None	None	N/A	Aluminum Oxide Abrasive Cloth or Paper	Commercial
		None	P-C-451	Each	Aluminum Oxide Abrasive Cloth or Paper	Commercial
		None	180 GRIT CLOTH 9X11	Each (9x11)	Aluminum Oxide Abrasive Cloth or Paper	Commercial
C-407 EC-092 S-407	Abrasive Pad, Nylon Web, Aluminum Oxide	None	None	N/A	Anderlex Abrasive Roll (P/N 60135)	58564
		None	SCOTCHBRITE TY-A	Roll (4x30')	3M Scotch-Brite, Type A, Very Fine	76381
C-408	Talcum Powder, Technical Grade, 35/65 Silicon Dioxide	A-A-59303, Type T1	MILT50036	5 LB	Any product meeting specification	Commercial
C-409 S-409	Use C-500	None	None	N/A	Use C-500	N/A
C-410	Tape, Packaging, Waterproof	ASTM D5486/D 5486M, Type III			Any product meeting specification	Commercial
C-411	Steel Wool	None	None	N/A	Steel Wool	Commercial
C-412	Wax, Waterproof, Solvent Type	MIL-W-18723	MILW18723	1 GAL	Concord 1600	Commercial
C-413	Strip Aid, Copper				ALK-Cu Strip	Commercial
					Rostrip M-10	Commercial
					Metex Strip Aid	Commercial
					Enstrip S	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-413	Strip Aid, Copper				Wetalyne Stripper No. 1	Commercial
C-414	Wire, Shear, Copper, 0.020	NASM20995	MS20995CY20	1 LB	Any product meeting specification	Commercial
C-415	Corrosion Preventive Oil				LPS 3	Commercial
					Castrol 4169	Commercial
					LPS 2	Commercial
					Oakite SPO (Special Protective Oil)	44389
					Turco 5430 Aquasorb	61102
					Castrol 4135	Commercial
C-416	Corrosion Preventive Oil				Oakite 77	44389
					Oakite 90	44389
					Pensalt K-7	Commercial
					Presolv B	Commercial
					Poro Kleen	Commercial
C-417	Inhibitor, Corrosion, Acid Pickle	MIL-I-17433	None	N/A	Rodine 213	84063
C-418	Use C-434	None	None	N/A	Use C-434	N/A
C-419	Use C-466 or C-503	None	None	N/A	Use C-466 or C-503	N/A
C-420	Masking Tape, 12 inch Scotch Paper				3M No. 1000	2E760
C-421	Use C-318	None	None	N/A	Use C-318	N/A
C-422	Aluminum Wool	A-A-1043, Type II	A-A-1043 TYII	1 LB	Aluminum Wool	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-423 S-423	Abrasive Cloth or Paper, Silicon Carbide	None	ABRASIVE 240 GRIT	Each	Silicon Carbide Abrasive Cloth or Paper	Commercial
		None	P-P-101	Each (9x11)	Silicon Carbide Abrasive Cloth or Paper	Commercial
		None	None	N/A	Silicon Carbide Abrasive Cloth or Paper	Commercial
C-424	Use C-323	None	None	N/A	Use C-323	N/A
C-425	Fairing Compound, Aerodynamic, Epoxy Filler	299-947-072, Type II	299-947-072.TY II	1 QT		
C-426	Tape, Masking	None	232 1IN WIDE	Roll (1 wide)	3M No. 232	52152
C-427	Barrier Material, Grease & Water Proof, Flexible	MIL-PRF-121	MIL-B-121 TY1 CL1	Roll (36x200 yards)	Any product meeting specification	Commercial
C-428	Caps and Plugs, Protective, Dust and Moisture Seal	NAS 847	None	N/A	Any product meeting specification	Commercial
C-429	Use C-308	None	None	N/A	Use C-308	N/A
C-429A	Use C-423	None	None	N/A	Use C-423	N/A
C-430	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	None	N/A	Any product meeting specification	Commercial
C-431	Hydrochloric Acid (Muriatic Acid), Technical Grade	ASTM E1146	None	N/A	Any product meeting specification	Commercial
C-432 EC-029 S-432	Nitric Acid [HNO3], Technical Grade	A-A-59105	None	N/A	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)


ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-433	Surgical Tubing				Surgical Tubing	43729
C-434	Plating Tape, Age Control				3M No. 471 (Purple)	04963
					Borden Chemical No. 6404 (Yellow)	14429
					SC-1 (Yellow)	56059
					4-HTP (Green)	56059
			471,BLK,.75 WIDE	Roll (0.75 wide)	3M No. 471	04963
			471,YEL,.75 WIDE	Roll (0.75 wide)	3M No. 471	04963
			420 1.00 WIDE	Roll (1 wide)	3M No. 420 (Lead Foil)	04963
			420 2.00 WIDE	Roll (2 wide)	3M No. 420 (Lead Foil)	04963
					3M No. 420 (Lead Foil)	04963
					3M No. 470 (Purple)	04963
C-435	Paint Remover, General, Chlorinated Hydrocarbon, Water Rinsable	None	PR3700 5GAL	5 GAL	PR-3700	55208
C-436 EC-030	Paint Remover, Epoxy & Polyurethane, Water Rinsable	MIL-R-81294, Type I or II	None	N/A	Any product listed in current issue of QPL-81294 	Commercial
		MIL-R-81294, Type I or II	TURCO 5351(T-5469)	1 PT	Turco 5469	1N6B3
C-437	Ammonium Hydroxide, Technical Grade	A-A-59370, Type I	None	N/A	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-437A	Use C-242	None	None	N/A	Use C-242	N/A
C-438	Tinting Medium, Pigment, Enamel	A-A-3108	None	N/A	AA3108B	Commercial
C-439	Tape, Aluminum Foil	None	425-2IN	Roll (2 wide)	3M No. 425	04963
		None	None	N/A	BT 102	0E7C4
		None	425 12.00 WIDE	Roll (12 wide)	3M No. 425	04963
C-440	Sealing Compound, Pipe, Joint and Thread White, Lead Free	TT-S-1732	TTS1732	1 PT	Any product meeting specification	Commercial
C-441	Rubber Coated Fabric				No. 5253	89373
C-442	Synthetic Rubber Coated Fabric				Synthetic Rubber Coated Fabric	89373
C-443	Fabric, Sandwich				No. 5063	89373
C-444	Cement				No. 3230	89373
C-445	Sheet, Hard Felt (Rabbit Fur), 0.062 inch thick				No. 2610-7087	97499
		C-F-206, Type I, Class 16R1X, 1/16 thk				91801
C-446	Use C-471	None	None	N/A	Use C-471	N/A
C-447	Wire, Safety, CRES, 0.041, EC-026	AS5685	AS100029	1LB ROLL	Roll (1 LB)	Commercial
		AS5685	AS100029	5LB ROLL	Roll (5 LB)	Commercial
C-448	Use C-596	None	None	N/A	Use C-596	N/A
C-449	Fuel Cell Repair Kit				2F1-3-35123	5H725

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-450	Penetrant Inspection Kit, Fluorescent Dye	None	ZA-60	Each	ZA-60 Zyglo Kit	37676
C-451	Use C-454	None	None	N/A	Use C-454	N/A
C-452	Anti-seize Compound, Thread, EC-090 High Temperature	MIL-PRF-907	MIL-A907 ANTISEIZE	16 OZ		Commercial
C-453	Tape, Vinyl	None	472,BLK,1.00 WIDE	Roll (1 wide)	3M Vinyl Tape 472	76381
		None	472,BLK,2.00 WIDE	Roll (2 wide)	3M Vinyl Tape 472	76381
		None	472,BLK,3.00 WIDE	Roll (3 wide)	3M Vinyl Tape 472	76381
C-454	Tape, Adhesive, Pressure Sensitive, PTFE Woven Glass Cloth	299-947-110, Type II	5453	Roll (1 wide)	3M No. 5453	76381
		299-947-110, Type II	299-947-110,TYII, 2IN	Roll (2 wide)	3M No. 5453	76381
		299-947-110, Type II	299-947-110TY2 5/8	Roll (5/8 wide)	3M No. 5453	76381
C-455	Tape, Foam, Urethane	None	4318,.50 WIDE	Roll (0.5 wide)	3M No. 4318	76381
C-456	Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	A-A-59298	A-A-59298	Roll (3.5 wide)	3M No. 853	76381
		A-A-59298	A-A-59298 1.00 WIDE	Roll (1 wide)	3M No. 853	76381
		A-A-59298	MIL-T23142 .500 WIDE	Roll (0.5 wide)	3M No. 853	76381
C-457	Mylar Tape, 3/4 inch by 72 yards				Mylar Tape, 3/4 inch by 72 yards	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-458	Mylar Tape, 1 inch by 72 yards				Mylar Tape, 1 inch by 72 yards	Commercial
C-459	Cloth, Nylon, Woven	None	None	N/A		Commercial
C-460	Tape, Adhesive, Pressure Sensitive, EC-056 PTFE Extruded, 3.0 to 4.5 µIN	299-947-110, Type III, Class 1	None	N/A	CHR 2285-2	1ECV7
		299-947-110, Type III, Class 1	299-947-110 TY3 CL1	Roll (1 wide)	3M No. 5490	76381
		299-947-110, Type III, Class 1	299-947-110TY3C L1 2I	Roll (2 wide)	CHR HM426	71643
		299-947-110, Type III, Class 1	299-947-110TY3C L1	Roll (3 wide)		
		299-947-110, Type III, Class 1	None	N/A	CHR 2255-2	1ECV7
C-461	Ink, Etching, Acid	None	None	N/A	#25 Acid etching	38968
C-462	Tape, Polyester, High Temperature, EC-068 Pressure Sensitive	None	None	N/A	Flashbreaker 1	53912
		None	None	N/A	Flashbreaker 2	53912
C-463	Fabric, Nylon, Nonwoven, Chemical and Abrasion Resistant	None			Cerex No. 23070	76541
		None			Cerex No. 23030	76541
C-464	India Stone	None	INDIA STONE	Each	Abrasive Stone	Commercial
C-465	Anti-fretting Buffer				Bell standard 150-044-1	97499
C-466	Use C-503	None	None	N/A	Use C-503	N/A
C-467	Aluminum Alloy Sheet, 2024-T3, 0.020 inch thick	AMS-QQ-A-250/4A				Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)



ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-468	Vinyl Tape		4508,BLK,.75 WIDE	Roll (0.75 wide)	3M No. 4508 (Black)	04963
			4508 1-2IN	Roll (0.5 wide)	3M No. 4508 (Black)	04963
			4508,1/8X1,BLK	Roll	3M No. 4508 (Black)	04963
C-469	Wicking Cloth, Fiberglass or Equivalent				HG32-38 inch	91775
C-470	Glass Beads, Abrasive, for Cleaning and Peening	MIL-PRF-9954			Any product listed in current issue of QPL-9954 	Commercial
C-471	Cord, Fibrous, Nylon, Waxed	MIL-C-5040, Type III	MIL-C5040 TY3	1 FT	Any product meeting specification	Commercial
C-472	Aluminum Alloy Sheet, 2024-T3, 0.032 inch thick	AMS-QQ-A-250/4A				Commercial
C-473	Paint Remover, Solvent Type, Water Rinsable	MIL-PRF-25134	MILR25134	1 GAL	Any product listed in current issue of QPL-25134 	Commercial
C-474	Dry Blasting Abrasive, Aluminum Oxide or Garnet				Dry Blasting Abrasive, Aluminum Oxide or Garnet	Commercial
C-475	Thread, Cotton	A-A-52094	None	N/A	Any product meeting specification	81348
C-476	Use C-397	None	None	N/A	Use C-397	N/A
C-477 S-477	Release Film, Halohydrocarbon Polymer, Perforated	None	None	N/A	E3760 P1	85670
		None	None	N/A	Wrightlon 4500 P	53912

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-477 S-477	Release Film, Halohydrocarbon Polymer, Perforated	None	VACPAC NO.3760P	1 SQ FT	E3760 P	85670
		None	None	N/A	E3760 P2	85670
		None	None	N/A	Wrightlon 4500 P1	53912
C-478	Release Fabric, Peel Ply, Synthetic, Non-bonding	None	None	N/A	Release Ply B	53912
		None	None	N/A	Release Ply F	53912
		None	None	N/A	Release Ply Super F	53912
C-479	Use C-427	None	None	N/A	Use C-427	N/A
C-480	Use C-471	None	None	N/A	Use C-471	N/A
C-481	Teflon-Dacron Fabric	None	S-1854-X1106	1 SQ FT	No. X1106	76157
C-482	Duct Tape				3M No. 393	04963
C-483	Tape, Adhesive, Reflectorized Sheeting	None	None	N/A	3M No. 7610	76381
		None	10605000	Roll (150' long)	10605000	35012
C-484	Welding Tube (Borium), 0.125 inch Hard Facing				Welding Tube (Borium), 0.125" Hard Facing	57965
					Welding Tube (Borium), 0.125" Hard Facing	2M161
C-485	Welding Tube (DT600HM), 0.125 inch Hard Facing				Welding Tube (DT600HM), 0.125" Hard Facing	26195
C-486 EC-091	Cheesecloth, Cotton				Rymplecloth #301	

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-486 EC-091	Cheesecloth, Cotton	CCC-C-440, Class 1	CCCC0046	1 SQ FT	#300 Hermitage Hermitex 1 Any product meeting specification	1L697 Commercial
C-487 EC-079	Electrolyte Solution, 30% Potassium Hydroxide [KOH]	None	None	N/A	Electrolyte, 30% KOH	Commercial
C-488 EC-075	Sodium Bicarbonate [NaHCO ₃], Technical Grade	A-A-374	None	N/A	Any product meeting specification	Commercial
C-489 EC-076	Boric Acid [H ₃ BO ₃]	A-A-59282	None	N/A	Boric Acid	Commercial
C-490	Cork Stopper	A-A-51056, Type I, Grade A, Class 2				Commercial
C-491	Electrical Insulation Tape, Plastic				3M No. 33 Norton No. 507	04963 58102
C-492	Thread, Nylon, Twisted Multiple Cord, Soft Finish, Nonwicking	A-A-59826, Type I, Class B	None	N/A	Any product meeting specification	Commercial
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	M23053/18-302-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-302-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-303-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-303-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-304-C	1 FT	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-493	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/18, Class 3	M23053/18-304-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-305-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-308-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-309-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-310-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-310-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-305-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-306-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-306-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/18, Class 3	M23053/18-307-0	1 FT	Any product meeting specification	Commercial
C-494	Metal Marking Ink, Non-permanent				F-1200 Vapor-Off Pen	01195
C-495	Use C-307	None	None	N/A	Use C-307	N/A
C-496	Abrasive, Wet Blasting	None	None	N/A	Flint Quartz No. 3/0, 3/0 Inspection Grade	84083
C-497	Use C-471	None	None	N/A	Use C-471	N/A
C-498	Use C-314	None	None	N/A	Use C-314	N/A

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-499	Stencil Ink	A-A-208, Type I			Any product meeting specification (Color No. 603)	09800
C-500	Abrasive Cloth, Ferric (Iron) Oxide and Quartz	None	PC458	Each	Crocus Cloth	Commercial
C-501	Sodium Chloride [NaCl] (Salt), Technical Grade	A-A-694	None	N/A	Any product meeting specification	Commercial
C-502	Polyethylene Syringe				Polyethylene Syringe	52004
C-503	Tape, Polyurethane, Pressure Sensitive	299-947-113	299-947-113 .50WIDE	Roll (0.5" wide)	3M No. 8671	04963
		299-947-113	299-947-113 1.00WIDE	Roll (1 wide)	3M No. 8671	04963
		299-947-113	299-947-113 6IN	Roll (6 wide)	3M No. 8671	04963
C-504	Tape, Foam, Soundproofing				3M No. 4370	04963
C-505	Nonwoven Fabric, .3 oz/sq,yd				Cerex No. 23030	41335
C-506	Potassium Cyanide [KCN], Technical Grade	None	None	N/A	Potassium Cyanide	Commercial
C-507	Sodium Cyanide [NaCN], Technical Grade	None	None	N/A	Sodium Cyanide	Commercial
C-508	Wire, Safety, CRES, 0.020, AS100026	AS5685	AS100026	Roll (1 LB)		Commercial
C-509	Tape, Anti-chafing				3M No. 4408	04963
			4408,.75 WIDE	Roll (0.75 wide)	3M No. 4408	04963
			4408,1/8X3,BLK	Roll	3M No. 4408	04963

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-509	Tape, Anti-chafing		4408,2.00 WIDE	Roll (2 wide)	3M No. 4408	04963
C-510	Tape, Anti-chafing				3M No. 4508	04963
C-511	Tape, Double Emulsion	None	NO 444	Roll (2 wide)	3M Double Coated Tape 444	04963
		None	3M444	Roll	3M Double Coated Tape 444	04963
C-512	Adhesive, Epoxy Base, Heat Resistant, Wet Layup	299-947-100, Type II, Class 3	None	N/A	Magnobond 6367	22121
C-513	Aluminum Alloy Sheet, 2024-T3, 0.100 inch thick	AMS-QQ-A-250/4A				Commercial
C-514	Aluminum Alloy Tube, 7075-T6, 0.156 inch thick wall	WW-T-700/7B				Commercial
C-515	Steel Metal Sheet, Normalized 4130, 0.050 inch thick	AMS 6345				Commercial
C-516	Cloth, Cleaning, Low-Lint					80244
					Cloth, Cleaning, Low-Lint	81349
C-517	Nitrogen [N], Liquid, Technical Grade	A-A-59503, Type II	None	N/A	Any product meeting specification	Commercial
C-518	Tape, Flatback, High Adhesion	None	2525 1.00 WIDE	Roll (1 wide)	3M No. 250	04963
C-519	Felt Sheet, 1/16 inch	C-F-206, Type I, Class 16R1X, 1/16 thk				81348
C-520	Adhesive, Epoxy Base, Heat Resistant	MMM-A-134				81348

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-521	Lubricant, Dry High Pressure		76209	Each	Mollylube Osborn P/N 76209	81348
C-522	Anti-seize Compound, High Temperature	None	EASE-OFF990	0.5 PT	Ease Off 990	81348
C-523	Filler, Pinhole, High Solids Compound	299-947-144	299-947-144	1 QT	28C1 Static Conditioner Filler	0KXA5
C-524	Trichloroethylene, Vapor Degreaser	ASTM D4080				Commercial
C-525	Grease, Aircraft, High Load Capacity	MIL-G-81827	MILG81827 14OZ	14 OZ	Royco 22MS	07950
		MIL-G-81827	MILG81827 1LB	1 LB	Aeroshell Grease 23C	07950
C-526	Grease, Silicone, Aircraft and Instrument	A-A-59173			DC 33 (Light)	71984
C-527	Grease				Armovis No. 8	Commercial
C-528 EC-084	Braid, Metal Sleaving				Bell standard 20-0363-11-XX	97499
C-529 EC-066	Anti-chafing Kit	None	BAS-KIT-010	Each	Bas Kit -010	1CP32
C-530 EC-062	Coating Compound, Plastic, Strippable (Hot Dipping)	MIL-P-149	None	N/A	Any product listed in current issue of QPL-149 Δ_1	Commercial
C-531	Sealing Compound, Dielectric, Premixed, Prefrozen	299-947-074, Type II	299-947-074 TY2 6OZ	6 OZ	299-947-074 Class 1, 2, or 3	97499
		299-947-074, Type II	None	N/A	CS 3100	14439
C-532 EC-023	Soldering Flux, Rosin	ANSI J-STD-004	KESTER FLUX #185	1 GAL	Kester 185	75297
C-533 EC-024	Trichlorotrifluoroethane, Cleaning Compound, Standard	MIL-C-81302, Type II	None	N/A	1,1,2-Trichlorotrifluoro ethane, Freon TF, or 113	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-534 EC-027	Methylene Chloride, Technical Grade	ASTM D4701	None	N/A	Dichloromethane	Commercial
C-535 EC-064	Primer, Adhesion Promoter, Potting	None	None	N/A	PR-1523-M	83574
C-536 EC-072	Sleeving, Braided, Expandable	None	130-053-()-0	1 FT	130-053-()-0	97499
C-537 EC-045	Solder, Hard, Brazing Alloy, Silver	QQ-B-654, BAg-9	None	N/A		Commercial
C-538	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn60WRMAP3	Commercial
C-539 EC-042	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn60WS	Commercial
C-540 EC-040	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn62WRMAP	Commercial
C-541	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn62WS	Commercial
C-542	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn63WRMAP3	Commercial
C-543 EC-044	Solder, Electronic Grade	ANSI J-STD-006	None	N/A	Sn63WS	Commercial
C-544	Spacers				Spacers	Commercial
C-545 EC-047	Stripper				LAR 388	Commercial
C-546	Thermoplastic Sealant Tape				XTPA-080	Commercial
C-547 EC-052	Tape, Lacing, Polyester	A-A-52081	None	N/A	Any product meeting specification	Commercial
C-548	Insulation Tape, Electrical, Reinforced Silicone	A-A-59163, Type I	A-A-59163 .5W	Roll (0.5 wide)	Any product meeting specification	Commercial
		A-A-59163, Type I	603-1	Roll (1 wide)	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-548	Insulation Tape, Electrical, Reinforced Silicone	A-A-59163, Type I	A-A-59163 1.0W	Roll (1 wide)	Any product meeting specification	Commercial
C-549 EC-051	Tape, Adhesive, Silicone	A-A-59474				Commercial
C-550 EC-065	Tetrahydrofuran (THF)	A-A-59282	None	N/A	Any product meeting specification	Commercial
C-551 EC-074	Epoxy Adhesive, Potting Compound	None	S1125	Each	S-1125 Kit 1	06090
C-552 EC-082	Butyl Acetate, Contact Cleaner	None	None	N/A	Butyl Acetate, Contact Cleaner	Commercial
C-553	Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 5.5 to 7.5 µIN	299-947-110, Type III, Class 2	None	N/A	3M No. 5491	76381
		299-947-110, Type III, Class 2	299-947-110 TY3 CL2	Roll (0.5 wide)		
		299-947-110, Type III, Class 2	299-947-110TY3C 2 3IN	Roll (3 wide)		
C-554	Wire, Shear, Copper, 0.015	NASM20995	MS20995CY15-4 8	4 FT	Any product meeting specification	Commercial
C-555	Release Agent, Mold, Liquid	None	None	N/A	Loctite Frekote 44-NC	05972
		None	None	N/A	Mono-Coat E-150 N-ODS	Commercial
		None	FREKOTE 700-NC	1 GA	Loctite 700-NC	05972
C-556	Corrosion Preventive Compound	MIL-C-6173, Grade 2			LPS 3	66724
C-557	Tape, Erosion, Protective, Polyurethane	None	70-0000-6236-7	Roll (6x36 yards)	3M No. 8663HS	52152

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-557	Tape, Erosion, Protective, Polyurethane	None	70-0000-8095-5	Roll (6x36 yards)	3M No. 8663HS	52152
C-558	Adhesive Promoter	None	3M 86A	1 PT	3M No. 86A	04963
C-559	Sealing Compound, Fuel Resistant	AMS 3276	AMS3276 1 PT	1 PT	Any product meeting specification	Commercial
C-560	Glass Cloth, 0.005 inch thick	AMS-C-9084, Class 2, Type III	AMS-C-9084,CL2 TYIII	3 SQ FT	Any product meeting specification	Commercial
C-561	Grease, High Pressure	NLGI Grade 2	MB1913	15.5 OZ	Thixogrease	L1028
C-562	Use C-317	None	None	N/A	Use C-317	N/A
C-563 EC-060	Vapor Degreaser	ASTM D4376			Tetrachloroethylene, Perchloroethylene	Commercial
C-564	Bagging Film, Nylon	None	None	N/A	Ipplon WN1500	53912
C-565	Breather Felt, Nonwoven, Polyester, 10 oz, High Pressure	None	None	N/A	Airweave N10	53912
C-566	Sealant Tape, Extruded, Cure Temp < 400°F	None	None	N/A	GS-213-3 (1/8 x 1/2)	53912
C-567	Shimming Compound, Filled Resin, Two-Part (Uncatalyzed)	AMS 3726, Class 1	DMS-4-828	50 GRAMS	DMS-4-828	30256
C-568	Copper Mesh, Nonwoven, Conductive, Perforated, 0.029 lb/sq ft	None	151-024-3	1 SQ FT	151-024-3	97499
		None	151-024-3-13-001	Each	151-024-3-13-001	97499
		None	151-024-3-31-003	Each	151-024-3-31-003	97499
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	None	N/A	Boelube 70104	18554
		None	None	N/A	Micro Lube	0M7L5

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-569	Lubricant, Drilling and Tapping, Composites and Metals	None	None	N/A	ICF-31P	72008
		None	None	N/A	Cethyl Alcohol (solid blocks 1x2x3 approx.)	Commercial
		None	None	N/A	Jooey-Loob	
C-570	Release Film, Fluoropolymer, Perforated	None	None	N/A	A4000 P	53912
		None	A5000P	Roll (48x500')	A5000 Perforated	0F451
C-571	Adhesive, Abrasion Resistant Materials	None	LARSON L100	87 GRAMS KIT	Larson L100	61272
C-572	Adhesive, Anaerobic, Retaining Compound	None	None	N/A	Loctite 603	05972
C-573	Heatsink Compound, Non-curing, Thermally Conductive Silicone	None	DC-340	1 PT	Dow Corning No. 340	71984
C-574	Adhesive, Instant, Ethyl-2-Cyanoacrylate, Low Viscosity	A-A-3097, Type II, Class 1	MIL-A-46050, TYII CL1	1 OZ	Any product meeting specification	Commercial
C-575	Adhesive		ARALDITE 2026	50 ML	Araldite 2026	Commercial
C-576	Tape, Plastic (PMB)				Tape 500 (3M)	Commercial
			BT-100	Roll (2 wide)	BT-100 (Anchor Continental)	Commercial
C-577	Nylon Braid, Flat Electrical Tying, Resin Coated	AMS 3817	50		Any product meeting specification	Commercial
C-578	Preservative Oil	MIL-L-21260, Type I or II				Commercial
C-579	Use C-020	None	None	N/A	Use C-020	N/A

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-580	Wire, Safety, CRES, 0.025, AS100027	AS5685	None	N/A	Any product meeting specification	Commercial
C-581	Tape, Lacing, Aramid	A-A-52084	AA52084-C-2	Roll (100' long)	AA52084-C-2	Commercial
		A-A-52084	LACING TAPE SIZE 3	Each	AA52084-C-3	Commercial
C-582	Black Oxide Solution, Touch-up Material	None	None	N/A	Presto Black BST4 Brush-On	0HLC1
C-583	Adhesive, Epoxy Base, Intermediate Cure, Heat Resistant	299-947-073			Hysol EA 9306NA	33564
		299-947-073	299-947-073 QUART	1 QT		97499
		299-947-073	299-947-073 6OZ	6 OZ		97499
C-584	Insert Material, Low Density, Epoxy & Amine Base	299-947-097, Type II	299-947-097 TY2	1 PT		
		299-947-097, Type II	299-947-097, TY II	1 GAL		
		299-947-097, Type II	None	N/A	BH200A/9810	51625
		299-947-097, Type II	None	N/A	Magnobond 120-271	22121
C-585	Stencil Ink	A-A-208, Type III			Any product meeting specification	09800
C-586	Corrosion Preventive Compound	None	CA1000 6OZ	6 OZ	DeSoto CA 1000	K5635
C-587 EC-071	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/4, Class 3	None	N/A	ATUM (RK-6025)	06090
C-588	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/8	M23053/8-001-C	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/8	M23053/8-004-C	1 FT	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-589 EC-069	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	M23053/5-103-9	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-104-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-105-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-106-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-107-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-108-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-109-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-109-2	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-111-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-102-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-103-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-118-0	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-109-9	1 FT	Any product meeting specification	Commercial
		AMS-DTL-23053/5, Class 1	M23053/5-106-9	1 FT	Any product meeting specification	Commercial

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-589 EC-069	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/5, Class 1	M23053/5-107-9	1 FT	Any product meeting specification	Commercial
C-590 EC-070	Tubing, Insulation, Heat Shrinkable	AMS-DTL-23053/4, Class 2	M23053/4-203-0	1 FT	Any product meeting specification	Commercial
C-591	Leak Detection Compound, Oxygen Systems	MIL-PRF-25567, Type I			Sherlock 5-Second	23316
C-592 EC-087	Strap, Tiedown, Adjustable, Self-Clinching, Plastic, Ty I, CI 1	AS33671	MS3367-2-9	Each	Any product meeting specification	Commercial
		AS33671	MS3367-1-9	Each	Any product meeting specification	Commercial
		AS33671	MS3367-2-0	Each	Any product meeting specification	Commercial
		AS33671	MS3367-7-9	Each	Any product meeting specification	Commercial
		AS33671	MS3367-4-9	Each	Any product meeting specification	Commercial
		AS33671	MS3367-5-9	Each	Any product meeting specification	Commercial
C-593	Adhesive, Silicone, Room Temperature Vulcanizing, High Strength	MIL-A-46146	None	N/A	RTV-3145	71984
C-594	Lacquer, Acrylic, Grade P-95	299-947-069	None	N/A	Lacquer, Grade P-95	06341
C-595	Sealing Tape, Expanded PTFE, Adhesive Backed, Non-ribbed, Tapered	AMS 3255, Class 2			120-255-7	0AMD8
C-596	Tape, Thread Sealant and Lubricant, PTFE	None	48 THD SEAL	Each	48 Thread Sealant and Lubricant	75037
		None	None	N/A	Scotch brand No.547	52004

Table 13-1. Consumable Materials List — Item Number Versus Nomenclature (Cont)

ITEM NO.	NOMENCLATURE	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
C-597	Sealing Tape, Expanded PTFE, Adhesive Backed, Ribbed	AMS 3255, Class 1	120-255-3	Roll	120-255-3	0AMD8

NOTE:



Refer to the U.S. Government web site www.assistdocs.com for free public access to the Qualified Products List (QPL).

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Abrasive Cloth or Paper, Aluminum Oxide	C-406 EC-011	None	None	N/A	Aluminum Oxide Abrasive Cloth or Paper	Commercial
	C-406 EC-011	None	P-C-451	Each	Aluminum Oxide Abrasive Cloth or Paper	Commercial
	C-406 EC-011	None	180 GRIT CLOTH 9X11	Each (9x11)	Aluminum Oxide Abrasive Cloth or Paper	Commercial
Abrasive Cloth or Paper, Silicon Carbide	C-423 S-423	None	ABRASIVE 240 GRIT	Each	Silicon Carbide Abrasive Cloth or Paper	Commercial
	C-423 S-423	None	P-P-101	Each (9x11)	Silicon Carbide Abrasive Cloth or Paper	Commercial
	C-423 S-423	None	None	N/A	Silicon Carbide Abrasive Cloth or Paper	Commercial
Abrasive Cloth, Ferric (Iron) Oxide and Quartz	C-500	None	PC458	Each	Crocus Cloth	Commercial
Abrasive Pad, Nylon Web, Aluminum Oxide	C-407 EC-092 S-407	None	None	N/A	Anderlex Abrasive Roll (P/N 60135)	58564
	C-407 EC-092 S-407	None	SCOTCHBRITE TY-A	Roll (4x30')	3M Scotch-Brite, Type A, Very Fine	76381
Abrasive, Wet Blasting	C-496	None	None	N/A	Flint Quartz No. 3/0, 3/0 Inspection Grade	84083

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Acetone	C-316 EC-002 S-316	ASTM D329	ACETONE GALLON	1 GAL	Any product meeting specification	Commercial
Adhesion Promoter, Metal Bonds	C-327	None	INSTABOND 900	1 PT	INSTAbond 900	5V071
Adhesive	C-336				Hysol Epoxy Patch Kit No. 0151 (Clear)	04347
	C-351	None	Q2-0046	Each	Q2-0046	71984
	C-365				Eccobond 45 / Catalyst 15	
	C-366				Fusor 304-1 and 304-2	30676
	C-575		ARALDITE 2026	50 ML	Araldite 2026	Commercial
Adhesive, Abrasion Resistant Materials	C-571	None	LARSON L100	87 GRAMS KIT	Larson L100	61272
Adhesive, Acrylic Monomer-polymer Base	C-303	299-947-092	None	N/A	PS-18 (Three components)	0VHD7
	C-303	299-947-092	None	N/A	PS-30 (Two components)	0VHD7
	C-303	299-947-092	299-947-092 PT	1 PT		
Adhesive, Anaerobic, Retaining Compound	C-572	None	None	N/A	Loctite 603	05972
Adhesive, Epoxy Base, Heat Resistant	C-520	MMM-A-134				81348

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Adhesive, Epoxy Base, Heat Resistant, General Purpose	C-317 S-317	299-947-100, Type II, Class 2	None	N/A	Hysol EA9392	1UW17
	C-317 S-317	299-947-100, Type II, Class 2	None	N/A	Magnobond 6398	22121
	C-317 S-317	299-947-100, Type II, Class 2			Hysol EA934NA	1UW17
	C-317 S-317	299-947-100, Type II, Class 2	299-947-100TY2 CL2PT	1 PT	299-947-100, TY II,CL 2	None
	C-317 S-317	299-947-100, Type II, Class 2	299-947-100TY2 CL2QT	1 QT	299-947-100, TY II,CL 2	None
	C-317 S-317	299-947-100, Type II, Class 2	299-947-100TY2 CL2G50	50 GRAMS	299-947-100, TY II,CL 2	None
Adhesive, Epoxy Base, Heat Resistant, Wet Layup	C-363 S-363	299-947-100, Type II, Class 3	299-947-100TY2 CL3PT	1 PT		
	C-363 S-363	299-947-100, Type II, Class 3	299-947-100T2CL 3 25G	25 GRAMS		
	C-363 S-363	299-947-100, Type II, Class 3	None	N/A	Hysol EA956	1UW17
	C-363 S-363	299-947-100, Type II, Class 3	None	N/A	Magnobond 6367	22121
	C-512	299-947-100, Type II, Class 3	None	N/A	Magnobond 6367	22121
Adhesive, Epoxy Base, Intermediate Cure, Heat Resistant	C-583	299-947-073			Hysol EA 9306NA	33564
	C-583	299-947-073	299-947-073 QUART	1 QT		97499
	C-583	299-947-073	299-947-073 6OZ	6 OZ		97499

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Adhesive, Epoxy Base, Room Temperature Cure, High Peel Strength	C-322	DOD-A-82720	2216B/A	1 PT	3M No. 2216 B/A Gray	04963
	C-322	DOD-A-82720	EC2216 B/A TAN N/S	1.7 OZ	3M No. 2216 B/A Tan NS	04963
	C-322	DOD-A-82720	2216B/A 2OZ	2 OZ	3M No. 2216 B/A	04963
Adhesive, Epoxy, Metal Repair & Fairing Compound	C-298		DEVCON 2-TON	1 OZ	Devcon 2-Ton	16059
Adhesive, Instant, Ethyl-2-Cyanoacrylate, Low Viscosity	C-574	A-A-3097, Type II, Class 1	MIL-A-46050,TYII CL1	1 OZ	Any product meeting specification	Commercial
	C-174	A-A-3097, Type II, Class 3	MILA46050TYIIC L3 1OZ	1 OZ	Any product meeting specification	Commercial
	C-174	A-A-3097, Type II, Class 3	MILA46050TYIIC L3 8OZ	8 OZ	Any product meeting specification	Commercial
Adhesive, Room Temperature Cure, General Purpose	C-313	299-947-099			Hysol EA9340	1UW17
	C-313	299-947-099	299-947-099	11 OZ		
	C-313	299-947-099			Araldite AV1258/HV1258	02684
	C-313	299-947-099			Metalset A-4	90414
Adhesive, Room Temperature Cure, High Peel Strength	C-331	299-947-125, Type I	299-947-125 TYPE 1	1 QT		
	C-331	299-947-125, Type I	299-947-125TYI5 0GM	50 GRAMS		
	C-331	299-947-125, Type I	EA9309NA	25 GRAMS KIT	Hysol EA 9309NA	33564
	C-397	299-947-125, Type II, Class 2	299-947-125TY2 CL2	1 QT	EA 9320NA	33564

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Adhesive, Rubber Base	C-376 EC-020	299-947-107, Type IV, Class 8	A1503B	1 QT	A1503B	1HS43
Adhesive, Rubber Base, Accelerator	C-377 EC-019	299-947-107, Type IV, Class 8	299-947-107TY4 CL8	1 QT	A1343B	1HS43
Adhesive, Rubber Base, General Purpose	C-312 EC-007	None	847	5 OZ	3M EC-847	6A670
Adhesive, Rubber Base, General Purpose, Fuel & Oil	C-310	299-947-107, Type III, Class 6			Magna-Tac M-24	85091
	C-310	299-947-107, Type III, Class 6	299-947-107 TY3 CL6	1 QT		
	C-310	299-947-107, Type III, Class 6	299-947-107TY3 CL6 8OZ	8 OZ		
	C-310	299-947-107, Type III, Class 6			Magna-Tac M-24	5B981
Adhesive, Rubber Base, General Purpose, Neoprene	C-324	299-947-107, Type I, Class 1			3M Scotchgrip 1300L (EC1300L)	6A670
	C-324	299-947-107, Type I, Class 1			Pro-Seal 596	83574
	C-324	299-947-107, Type I, Class 1			3M Scotchgrip 1300	6A670
	C-324	299-947-107, Type I, Class 1	299-947-107 TYPE-1	1 PT		
Adhesive, Rubber Base, General Purpose, Styrofoam	C-333	299-947-107, Type I, Class 2	None	N/A	3M Scotch-Grip Industrial Adhesive 4550	6A670
	C-333	299-947-107, Type I, Class 2	299-947-107TY1 CL2 PT	1 PT		97499

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Adhesive, Rubber Base, General Purpose, Styrofoam	C-333	299-947-107, Type I, Class 2	299-947-107TY1 CL2GA	1 GAL		97499
Adhesive, Rubber Base, General Purpose, Urethane	C-325 EC-006	299-947-107, Type II, Class 5	299-947-107 TY2CL5PT	1 PT		
	C-325 EC-006	299-947-107, Type II, Class 5	EC776-2OZ	2 OZ	3M EC-776	6A670
Adhesive, Rubber Base, General Purpose, Vinyl	C-311 EC-004	299-947-107, Type II, Class 4	299-947-107T2CL 4 4OZ	4 OZ		
	C-311 EC-004	299-947-107, Type II, Class 4	299-947-107TY2 CL4 QT	1 QT		
	C-311 EC-004	299-947-107, Type II, Class 4	299-947-107TYII CL4	1 PT		
	C-311 EC-004	299-947-107, Type II, Class 4			A-1231-B	1HS43
Adhesive, Rubber Base, Spray	C-357 EC-003	299-947-107, Type I, Class 3			3M Spray Adhesive No. 77	6A670
	C-357 EC-003	299-947-107, Type I, Class 3				97499
Adhesive, Silicone Base	C-250				6282PC12	80064
	C-250				RTV-738	71984
	C-250				217-548	80064
	C-307	299-947-152, Type I, Class 2			RTV-108 (Translucent)	01139
	C-307	299-947-152, Type I, Class 2	299-947-152,TY1, CL2	3 OZ		
	C-307	299-947-152, Type I, Class 2	299-947-152TY1 CL2CLR	3 OZ		

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Adhesive, Silicone Base	C-307	299-947-152, Type I, Class 2	299-947-152T1CL 2 WHT	3 OZ		
	C-307	299-947-152, Type I, Class 2			RTV-732 (White, Black or Clear)	71984
Adhesive, Silicone Base, Room Temperature Vulcanizing	C-314	299-947-152, Type III			RTV-730 (White)	71984
	C-314	299-947-152, Type III	299-947-152,TY III	6 OZ		
	C-314	299-947-152, Type III			FRV-1106	01139
	C-346	299-947-152, Type II	None	N/A	RTV-106	01139
	C-346	299-947-152, Type II	None	N/A	RTV-736	71984
	C-346	299-947-152, Type II	299-947-152 TY2 3OZ	3 OZ		
Adhesive, Silicone Base, Two-Part	C-300	299-947-152, Type I, Class 1	None	N/A	Silgrip SR-529 with 3% SRC-18 Catalyst	01139
	C-300	299-947-152, Type I, Class 1	None	N/A	Dapco 3300	58093
	C-300	299-947-152, Type I, Class 1	299-947-152TICL 1 1OZ	1 OZ		
	C-300	299-947-152, Type I, Class 1	299-947-152TYIC L1 QT	1 QT		
Adhesive, Silicone, Room Temperature Vulcanizing, High Strength	C-593	MIL-A-46146	None	N/A	RTV-3145	71984
Adhesive, Urethane Base	C-301	299-947-066, Type I			3M No. EC3549 (Tan)	6A670

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Adhesive, Urethane Base	C-301	299-947-066, Type I	299-947-066 TY1	1 QT		
	C-301	299-947-066, Type I	299-947-066, TY1 4OZ	4 OZ		
	C-301	299-947-066, Type I			Dapcotac 3013 (Natural Color)	58093
Adhesive, Urethane Superfast, Windows	C-399				3M No. 08609	04963
Adhesive Film	C-361	299-947-121, Type II			Cytec N-1113	04622
	C-361	299-947-121, Type II			FM 53	09BV7
	C-361	299-947-121, Type II			3M No. AF 163-2(U/S)	6A670
	C-361	299-947-121, Type II				97499
	C-361	299-947-121, Type II			FM 87	09BV7
Adhesive Film, Epoxy, Modified, Supported and Unsupported	C-364	299-947-038, Type I	None	N/A	FM1000	09BV7
	C-364	299-947-038, Type I	FM1000-EP15	1 SQ FT	FM1000-EP15	09BV7
	C-364	299-947-038, Type I	FM1000-5302	1 SQ FT	FM1000-5302	09BV7
Adhesive Film, Intermediate Cure	C-252	299-947-320, Type I	None	N/A	3M No. AF 163-2K	6A670
	C-362	299-947-121, Type I			FM 87	09BV7
	C-362	299-947-121, Type I			3M No. AF 163-2K	6A670
	C-362	299-947-121, Type I			FM 53	09BV7
	C-362	299-947-121, Type I			Cytec N-1113	04622
	C-362	299-947-121, Type I			AF-126 0.08 lbs/sq.ft	55119
	C-362	299-947-121, Type I			FM 123-2 0.06 lbs/sq.ft	09BV7

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Adhesive Film, Intermediate Cure	C-362	299-947-121, Type I			AF-126 0.06 lbs/sq.ft	55119
	C-362	299-947-121, Type I			AF-126-2 0.06 lbs/sq.ft	55119
	C-362	299-947-121, Type I			Narmco 227 0.06 lbs/sq.ft	04622
	C-362	299-947-121, Type I			AF-126-3 0.06 lbs/sq.ft	55119
	C-362	299-947-121, Type I			Hysol EA9601 0.06 lbs/sq.ft	94565
Adhesive Primer, Intermediate Cure	C-253	299-947-320, Class 1	EC3924B QT	1 QT	3M No. EC 3924B	6A670
Adhesive Promoter	C-558	None	3M 86A	1 PT	3M No. 86A	04963
Adhesive Tape for Nameplate, Film Type, Pressure Sensitive	C-140	None	None	N/A	3M No. 468	04963
	C-340	299-947-111, Type II	None	N/A	3M No. 467	04963
	C-340	299-947-111, Type I	465	1 Roll	3M No. 465	04963
Alcoholic Phosphoric Cleaner	C-344 S-344	MIL-C-10578, Type I	TURCO W.O.1 GAL	1 GAL	Turco W.O. #1	1N6B3
Aliphatic Naphtha	C-305 EC-028 S-305	TT-N-95, Type II	TT-N-95, TYII 1GAL	1 GAL	Any product meeting specification	Commercial
Alkaline Steel Cleaner	C-348				Oakite LFL	44389
Aluminum Alloy Sheet, 2024-T3, 0.020 inch thick	C-467	AMS-QQ-A-250/4A				Commercial
Aluminum Alloy Sheet, 2024-T3, 0.032 inch thick	C-472	AMS-QQ-A-250/4A				Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Aluminum Alloy Sheet, 2024-T3, 0.100 inch thick	C-513	AMS-QQ-A-250/4A				Commercial
Aluminum Alloy Tube, 7075-T6, 0.156 inch thick wall	C-514	WW-T-700/7B				Commercial
Aluminum Wool	C-422 S-422	A-A-1043, Type II	A-A-1043 TYII	1 LB	Aluminum Wool	Commercial
Ammonium Hydroxide, Technical Grade	C-437	A-A-59370, Type I	None	N/A	Any product meeting specification	Commercial
Ammonium Nitrate [NH4NO3], Technical Grade	C-350	A-A-59476	None	N/A	Any product meeting specification	Commercial
Anti-chafe Tape, Rubber Sealant	C-044				3M No. 5423, 1.0 inch wide	00612
	C-044		PF 5423	Roll (0.75 wide)	3M No. 5423, 0.75 inch wide	00612
	C-044				3M No. 5423, 0.375 inch wide	00612
Anti-chafing Kit	C-529 EC-066	None	BAS-KIT-010	Each	Bas Kit -010	1CP32
Anti-fretting Buffer	C-465				Bell standard 150-044-1	97499
Anti-seize Compound, High Temperature	C-522	None	EASE-OFF990	0.5 PT	Ease Off 990	81348
Anti-seize Compound, Thread, High Temperature	C-452 EC-090	MIL-PRF-907	MIL-A907 ANTISEIZE	16 OZ		Commercial
Anti-seize Compound, Thread, Molybdenum, Disulfide, Petrolatum	C-262	MIL-PRF-83483	MIL-PRF-83483	1 LB	Any product meeting specification	Commercial
Antistatic Coating	C-214	299-947-085			528X306	85570

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Aromatic Naphtha	C-388	TT-N-97, Type I, Grade A				Commercial
Assembly Fluid	C-024	None	#1FLUID4OZ ULTRACHEM	4 OZ	Ultrachem Assembly Fluid No. 1	56385
Bagging Film, Nylon	C-257	None	None	N/A	Wrightlon 7400	53912
	C-564	None	None	N/A	Ipplon WN1500	53912
Barrier Material, Grease & Water Proof, Flexible	C-427	MIL-PRF-121	MIL-B-121 TY1 CL1	Roll (36x200 yards)	Any product meeting specification	Commercial
Black Oxide Solution, Touch-up Material	C-582	None	None	N/A	Presto Black BST4 Brush-On	0HLC1
Boric Acid [H3BO3]	C-489 EC-076	A-A-59282	None	N/A	Boric Acid	Commercial
Braid, Metal Sleaving	C-528 EC-084				Bell standard 20-0363-11-XX	97499
Breather Felt, Nonwoven, Polyester, 10 oz, High Pressure	C-258	None	None	N/A	Airweave Super 10	53912
	C-565	None	None	N/A	Airweave N10	53912
Brush Cadmium, Electro-cleaning Solution	C-132				SCM 4100	13929
	C-132				1010	11924
Butyl Acetate, Contact Cleaner	C-552 EC-082	None	None	N/A	Butyl Acetate, Contact Cleaner	Commercial
Cable Ferrule, Safety, CRES and Heat Resistant Steel, 0.032	C-153	AS4536	None	N/A	AS3510-02F	Commercial
Cable, Safety, CRES and Heat Resistant Steel, 0.032	C-152	AS4536	None	N/A	AS3510-02(any length)C	Commercial
Cable, Safety, Kit, Corrosion Resistant Steel, 0.032	C-162	AS4536	None	N/A	AS3511-02(any length)K	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Cadmium Chromate Conversion Coating	C-112 EC-085	None	None	N/A	SSS 3002, Brush	76071
	C-112	None	DALIC 5005	1 QT	Dalic 5005, Brush	11924
Cadmium Plating Solution, Brush-on	C-108	MIL-STD-865	LHE SELECTRON SPS507	1 QT	5070	11924
	C-108	MIL-STD-865	None	N/A	LDC 4803	57868
	C-108	MIL-STD-865	None	N/A	2023	11924
Calcium Fluoride [CaF ₂], Technical Grade	C-113	MIL-C-11162	CALCIUM FLOURIDE	1 LB	Calcium Fluoride	Commercial
Calcium Sulfate [CaSO ₄], Technical Grade	C-120	None	CALCIUM SULFATE	4.4 LB	Calcium Sulfate	Commercial
	C-120	None	CALCIUM SULFATE 1.0	1.3 OZ	Calcium Sulfate	Commercial
Caps and Plugs, ESDS Protective, Electrical Connector	C-136	None	None	N/A	3M No. 4270	20999
Caps and Plugs, Protective, Dust and Moisture Seal	C-428	NAS 847	None	N/A	Any product meeting specification	Commercial
Caps and Plugs, Protective, Electrical Connector	C-156	NAS 820	None	N/A	Any product meeting specification	Commercial
Carbon Fabric, Woven, Dry, Plain Weave	C-255	299-947-499, Type II, Class 2, Form 3K-PW	None	N/A	PW 60 195GSMTR7X12AS4 GP-3K	0LHZ4
	C-255	299-947-499, Type II, Class 2, Form 3K-PW	PW42195GSMTR 7X12AS4	1 FT	PW 42 195GSMTR7X12AS4 GP-3K	0LHZ4
Carbon Fabric, Woven, Epoxy Resin-Impregnated	C-155	299-947-321, Type II, Class B	299-947-321TYIIC LB	1 LB	HMF 937A/5HS	0LHZ4

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Catalyst, DTA (for Epoxy Resins)	C-220	None	None	N/A	EPI-Cure 3223 (Diethylenetriamine)	
Catalyzed Epoxy Primer (3 Part Kit)	C-222				Catalyzed Epoxy Primer (3 Part Kit)	22783
Cement	C-444				No. 3230	89373
Cheesecloth, Cotton	C-486 EC-091				Rymplecloth #301	
	C-486 EC-091				#300 Hermitage Hermitex 1	1L697
	C-486 EC-091	CCC-C-440, Class 1			Any product meeting specification	Commercial
	C-486 EC-091		CCCC0046	1 SQ FT		
Chemical Conversion Coating Material, Ferrous Surface	C-221	TT-C-490				02731
Chemical Film Material for Aluminum	C-100 EC-013	MIL-DTL-81706, Class 1A, Form II	MILC81706 CL1AFORM11	2 LB		
	C-100 EC-013	MIL-DTL-81706, Class 1A, Form II	None	N/A	Alodine 1200S (Immersion)	71410
	C-100 EC-013	MIL-DTL-81706, Class 1A, Form II	None	N/A	Alumibond 1200 (Immersion)	1DZU6
	C-100 EC-013	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706 1 QT	1 QT		
	C-100 EC-013	MIL-DTL-81706, Class 1A, Form III	MIL-C-81706 1 GAL	1 GAL		
	C-100 EC-013	MIL-DTL-81706, Class 1A, Form III	None	N/A	Alodine 1201 (Brush-on)	71410

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Chemical Film Material for Aluminum	C-100 EC-013	MIL-DTL-81706, Class 1A, Form VI	None	N/A	Alodine 1132 (Touch-N-Prep)	71410
Chemical Film Material for Aluminum Bonding and Grounding	C-099 EC-014	MIL-DTL-81706, Class 3, Form II	MIL-C-81706,CL3 PWDR	1 LB	Iridite 14-2	0PX54
	C-099 EC-014	MIL-DTL-81706, Class 3, Form VI	None	N/A	Alodine 1132 (Touch-N-Prep)	71410
	C-099 EC-014	MIL-DTL-81706, Class 3, Form II	None	N/A	Alodine 600	71410
Chromate Test Strip, Cadmium Conversion Coating	C-369				9859-N42	59728
Chromic Acid [CrO3] (Chromium Trioxide), Technical Grade	C-116	A-A-55827	A-A-55827	1 LB	Any product meeting specification	Commercial
Chromic Acid Treatment, Brush-on	C-103 S-103	AMS-M-3171, Type VI	None	N/A	Any product meeting specification	Commercial
Cleaner, Glass and Acrylic Plastic	C-330	None	None	N/A	TEND Antistatic Plastic Cleaner	1N960
	C-330	None	None	N/A	CADCO Antistatic Plastic Cleaner	
	C-330	None	None	N/A	GLISTEN Glass Cleaner	20913
	C-330	None	None	N/A	PRIST Acrylic, Plastic & Glass Cleaner	0YFV5
	C-330	None	None	N/A	Airglas AGL Glass Cleaner	70127
	C-330	None	None	N/A	210 Plastic Cleaner / Polish	3J317
	C-330	None	None	GLASS CLEANER	Each	GLEME Glass Cleaner

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)


NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Cleaning Compound	C-036				Hoppe's No. 9 or equivalent	73266
Cleaning Compound, Aircraft Surface	C-342	MIL-C-43616			Oakite 8	44389
Cleaning Compound, Alkaline Base, Detergent	C-318 S-318	MIL-C-87936, Type I	MILC87936TYI 5GAL	5 GAL		Commercial
Cleaning Compound, Solvent, Oil Cooler	C-130	MIL-PRF-6864				Commercial
Cloth, Cleaning, Low-Lint	C-516					80244
	C-516				Cloth, Cleaning, Low-Lint	81349
Cloth, Nylon, Woven	C-459	None	None	N/A		Commercial
Coating Compound, Plastic, Strippable (Hot Dipping)	C-530 EC-062	MIL-P-149	None	N/A	Any product listed in current issue of QPL-149 	Commercial
Coating, Aliphatic Polyurethane, Chem. Agent Resistant	C-218	MIL-C-46168, Type II				Commercial
	C-241	MIL-C-53039				Commercial
Coating, Corrosion Preventative, for Aircraft Integral Tanks	C-122	AMS-C-27725, Type I	AMS-C-27725, TY I, GAL	1 GAL	833K086 (Base) and 930K088 (Activator)	0ZX56
Coating, Epoxy Primer, Waterborne	C-246 EC-036	MIL-PRF-85582, Type I, Class C2	EWDE072	5 QT KIT	EWDE072A/B	85570
Coating, Epoxy, High-Solids	C-210	MIL-PRF-22750	GRAY 36118 1.5 GAL	1.5 GAL KIT		Commercial
	C-210	MIL-PRF-22750	GRAY 36118 1.0 GAL	1 GAL KIT		Commercial
	C-210	MIL-PRF-22750	MIL-C-22750 GRA36231	2 GAL KIT		Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Coating, Epoxy, High-Solids	C-210	MIL-PRF-22750	BROWN, 20040	1 QT KIT		Commercial
	C-210	MIL-PRF-22750	36307 GRAY	1 QT		Commercial
	C-210	MIL-PRF-22750	GRAY 36118 4 OZ	4 OZ		Commercial
	C-210	MIL-PRF-22750	None	N/A		Commercial
	C-210	MIL-PRF-22750	None	N/A		Commercial
Coating, High Solids Polyurethane, Mar-Resistant	C-265	299-947-494	18BK006/18BK006CAT	Each	18 Series Coating	33461
	C-265	299-947-494	None	N/A	838G045BE/930G976	0ZX56
	C-265	299-947-494	None	N/A	831G160BE/930G976	0ZX56
	C-265	299-947-494	18W010/18W010 CATT	Each	18 Series Coating	33461
Coating, Polymer	C-248	None	SERMETEL 1122	1 PT	SermeTel 1122	58913
Coating, Polyurethane, Aircraft Support	C-245	MIL-PRF-85285, Type I	MIL-PRF-85285,1 2197	1 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285,TYI,3 6440	2 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285TYI-13 538	2 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285TYI-27 925	1 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285TY1,C LEAR	3 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285TY1C OL17925	2 GAL KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285,TYI,1 6440	2 GAL KIT		Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Coating, Polyurethane, Aircraft Support	C-245	MIL-PRF-85285, Type I	MILC85285,TYI,3 7038	5 QT KIT		Commercial
	C-245	MIL-PRF-85285, Type I	MILC85285,TYI,1 7178	5 QT KIT		Commercial
	C-245	MIL-PRF-85285, Type I	None	N/A		Commercial
Coating, Polyurethane, Elastomeric, Rain Erosion Resistant	C-146	MIL-C-85322	None	N/A	Aeroglaze M1433 Coating	30676
Coating, Polyurethane, Two Parts, for Polycarbonate Plastic	C-145	None	None	N/A	POLANE T Polyurethane Enamel (F63B12)	54636
Coating, Resin, Permanent, Engine Components	C-042	MIL-PRF-3043			Griggs Paints Blue Bake Resin	
Contact Enhancer, Electrical, Concentrate	C-052	None	STABILANT 22	15 ML KIT	Stabilant 22	38948
Cooling Agent	C-137	None	QUIKFREEZE	Each	Quik-Freeze MS-242N	18598
Copper Mesh, Nonwoven, Conductive, Perforated, 0.029 lb/sq ft	C-568	None	151-024-3	1 SQ FT	151-024-3	97499
	C-568	None	151-024-3-13-001	Each	151-024-3-13-001	97499
	C-568	None	151-024-3-31-003	Each	151-024-3-31-003	97499
Cord, Fibrous, Nylon, Waxed	C-471	MIL-C-5040, Type III	MIL-C5040 TY3	1 FT	Any product meeting specification	Commercial
Cork Stopper	C-490	A-A-51056, Type I, Grade A, Class 2				Commercial
Corrosion Preventive Compound	C-055	None	None	N/A	Ardrox AV 8	0L040
	C-128	None	XMAS6856K/160 CTG	160 ML	Mastinox 6856K	0ZX56
	C-556	MIL-C-6173, Grade 2			LPS 3	66724

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Corrosion Preventive Compound	C-586	None	CA1000 6OZ	6 OZ	DeSoto CA 1000	K5635
Corrosion Preventive Compound, Aircraft Turbine Engine	C-126	MIL-PRF-8188			Any product listed in current issue of QPL-8188 Δ_1	Commercial
Corrosion Preventive Compound, Fingerprint Remover	C-105	MIL-C-15074	MILC15074 GALLON	1 GAL	Any product listed in current issue of QPL-15074 Δ_1	Commercial
Corrosion Preventive Compound, Oil Additive	C-124		BRAYCO 599	8 OZ	Brayco Concentrate 599	98308
Corrosion Preventive Compound, Petrolatum, High Temp	C-127 EC-080	MIL-C-11796, Grade 3	MIL-C-11796 CL.3	1 LB	Any product listed in current issue of QPL-11796 Δ_1	Commercial
	C-127 EC-080	MIL-C-11796, Grade 3	MIL-C-11796,CL 1	1 LB	Any product listed in current issue of QPL-11796 Δ_1	Commercial
Corrosion Preventive Oil	C-415				LPS 3	Commercial
	C-415				Castrol 4169	Commercial
	C-415				LPS 2	Commercial
	C-415				Oakite SPO (Special Protective Oil)	44389
	C-415				Turco 5430 Aquasorb	61102
	C-415				Castrol 4135	Commercial
	C-416				Oakite 77	44389
	C-416				Oakite 90	44389
	C-416				Pensalt K-7	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Corrosion Preventive Oil	C-416				Presolv B	Commercial
	C-416				Poro Kleen	Commercial
Corrosion Preventive, Reciprocating Aircraft Engine	C-106 EC-016	MIL-C-6529, Type II			Any product listed in current issue of QPL-6529 ¹	Commercial
CPC, Solvent Cutback, Cold-Application (Hard Film)	C-101	MIL-PRF-16173, Grade 1	MIL-PRF-16173E CLASS1	1 GAL	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-101	MIL-PRF-16173, Grade 1	MIL-C16173 GR1 PT	1 PT	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-101	MIL-PRF-16173, Grade 1	MIL-C-16173,GR1 2OZ	2 OZ	Any product listed in current issue of QPL-16173 ¹	Commercial
CPC, Solvent Cutback, Cold-Application (Soft Film)	C-104 EC-015	MIL-PRF-16173, Grade 2	MIL-C-16173 GR2	1 GAL	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-104 EC-015	MIL-PRF-16173, Grade 2	MIL-PRF-16173 GR2	1 PT	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-104 EC-015	MIL-PRF-16173, Grade 2	MIL-C-16173,GR2 6OZ	6 OZ	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-104 EC-015	MIL-PRF-16173, Grade 2	MIL-PRF-16173,C R2	2.5 OZ	Any product listed in current issue of QPL-16173 ¹	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
CPC, Solvent Cutback, Cold-Application (Water Displacing Film)	C-110 EC-017	MIL-PRF-16173, Grade 3	MIL-C16173 GR3 GL	1 GAL	Any product listed in current issue of QPL-16173 ¹	Commercial
	C-110 EC-017	MIL-PRF-16173, Grade 3	MIL-C16173 GR3 PT	1 PT	Any product listed in current issue of QPL-16173 ¹	Commercial
De-icing/Anti-icing Fluid, Aircraft, SAE Type I	C-394	AMS 1424	None	N/A	ARCOplus, Type I	0FWN7
	C-394	AMS 1424	OCTAFLO DILUTE TYPE1	5 GAL	Octaflo Type I	82925
	C-394	AMS 1424	None	N/A	Kilfrost DF Plus (88)	4V360
Denatured Alcohol	C-326	None	DENATURED ALCOHOL	1 GAL	Denatured Alcohol	Commercial
Detergent, General Purpose, Nonionic Liquid	C-398	MIL-D-16791				Commercial
Detergent, Mild Liquid	C-355				Mild Detergent	Commercial
Dichromate Treatment	C-114	AMS-M-3171, Type III	None	N/A	Any product meeting specification	Commercial
Dry Blasting Abrasive, Aluminum Oxide or Garnet	C-474				Dry Blasting Abrasive, Aluminum Oxide or Garnet	Commercial
Duct Tape	C-482				3M No. 393	04963
Edge Sealer, Erosion Protective Tape	C-149	None	62-3553-1435-2	1.7 OZ	DP190	52152
Edge Sealer, Vinyl and Mylar Films	C-349	None	3950 SCOTCHCAL	8 OZ	3M Scotchcal No. 3950	04963
Electrical Insulation Tape, Plastic	C-491				3M No. 33	04963
	C-491				Norton No. 507	58102

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Electrolyte Solution, 30% Potassium Hydroxide [KOH]	C-487 EC-079	None	None	N/A	Electrolyte, 30% KOH	Commercial
Electrolytic Cleaner, Alkaline	C-343				Anodex NP-2	34568
	C-343				Cor Clean 6000	
	C-343				Oakite 90	44389
	C-343				O-S 590	
	C-343				Cor Clean 6300	
Enamel Overcoat, Alkyd, Exterior, Low VOC	C-240	TT-E-489				Commercial
Epoxy Adhesive, Potting Compound	C-551 EC-074	None	S1125	Each	S-1125 Kit 1	06090
Epoxy Resin, Wet Layup	C-261	BMS-8-301, Class 1, Grade 1			Hysol EA9390	1UW17
	C-261	BMS-8-301, Class 1, Grade 1			Hysol EA9390	1UW17
Epoxy/Zinc Coating	C-208	299-947-204			02-X-011 Base + Catalyst + Zinc Dust	
	C-208	299-947-204	299-947-204 2GAL	2 GAL		
Estane Primer	C-378 EC-021	299-947-107, Type IV, Class 9	THIXON P-5-2	1 GAL	Thixon P-5-2	0KED9
Etchant for Teflon	C-368 EC-063	None	TETRA ETCH	500 ML	Tetra Etch	60622
Ethyl Acetate	C-390	TT-E-751	TTE751	1 GAL	Ethyl Acetate	Commercial
Ethyl Alcohol	C-339 EC-008	A-A-59342, Grade 3	None	N/A	Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)


NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Fabric, Nylon, Nonwoven, Chemical and Abrasion Resistant	C-463	None			Cerex No. 23070	76541
	C-463	None			Cerex No. 23030	76541
Fabric, Sandwich	C-443				No. 5063	89373
Fairing Compound, Aerodynamic, Epoxy Filler	C-323	299-947-072, Type I	None	N/A	RP1257-3	02684
	C-323	299-947-072, Type I	299-947-072TYP E 1 PT	500 GRAMS		
	C-323	299-947-072, Type I	None	N/A	Hysol EA960	1UW17
	C-425	299-947-072, Type II	299-947-072.TY II	1 QT		
Fairing Compound, Aerodynamic, Polyester Filler	C-372	299-947-072, Type IV	None	N/A	APF 4, Grey	
Felt Sheet, 1/16 inch	C-519	C-F-206, Type I, Class 16R1X, 1/16 thk				81348
Filler, Pinhole, High Solids Compound	C-523	299-947-144	299-947-144	1 QT	28C1 Static Conditioner Filler	0KXA5
Fire Retardant Penetrant, Interior, Spray	C-051	None	FXPf-32	1 QT	Flamex PF	Commercial
Fuel Cell Repair Kit	C-449				2F1-3-35123	5H725
Glass Beads, Abrasive, for Cleaning and Peening	C-470	MIL-PRF-9954			Any product listed in current issue of QPL-9954 	Commercial
Glass Cloth, 0.010 inch thick	C-404 S-404	AMS-C-9084, Class 2, Type VIIIA	AMS-C-9084CL2 TY8A	Roll (1 LB)	Any product meeting specification	Commercial
	C-404 S-404	AMS-C-9084, Class 1, Type VIIIA	MILC9084 CL1 TY8A	3 SQ FT	Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Glass Cloth, 0.010 inch thick	C-404 S-404	AMS-C-9084, Class 2, Type VIII B	AMS-C-9084T8B CL2	3 SQ FT	Any product meeting specification	Commercial
Glass Cloth, 0.005 inch thick	C-560	AMS-C-9084, Class 2, Type III	AMS-C-9084,CL2 TYIII	3 SQ FT	Any product meeting specification	Commercial
Glass Fabric, Woven, Epoxy Resin-Impregnated	C-144	299-947-326, Type II, Class E	299-947-326,TYII, CLE	1 LB	120-38-F161	91610
	C-166	299-947-076, Type C	299-947-076 TY C	1 LB		97499
	C-166	299-947-076, Type C	None	N/A	Rigidite 3200/7781	04622
	C-166	299-947-076, Type C	None	N/A	F185-1/7781	ISPP9
	C-166	299-947-076, Type C	299-947-076,TY C	1 LB		97499
Graphite Petrolatum, Thread, Anti-seize Compound	C-025	AMS 2518			Any product meeting specification	98308
	C-025	AMS 2518	MIL-T-5544	1 LB		
Grease	C-527				Armovis No. 8	Commercial
Grease, Aircraft and Instruments	C-014	MIL-PRF-23827, Type I or II	MIL-G-23827	14 OZ	Any product listed in current issue of QPL-23827 \triangle_1	Commercial
Grease, Aircraft, Ball and Roller Bearing	C-026	MIL-G-25013			Royco 13D	07950
	C-026	MIL-G-25013	ROYCO 13	28 OZ		
	C-026	MIL-G-25013			Royco 13CF	07950
Grease, Aircraft, General Purpose	C-001	MIL-PRF-81322	AEROSHELL 22	14 OZ	Aeroshell Grease 22	54527

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Grease, Aircraft, General Purpose	C-001	MIL-PRF-81322	ROYCO 22	14 OZ	Royco 22CF	07950
	C-001	MIL-PRF-81322	MOBIL 28 5LB CAN	5 LB	Mobilgrease 28	1ZAY6
	C-001	MIL-PRF-81322	None	N/A	Aeroshell Grease 22CF	07950
	C-001	MIL-PRF-81322	MOBIL 28	1 LB	Mobilgrease 28	1ZAY6
Grease, Aircraft, Helicopter, Oscillating Bearing	C-007	MIL-G-25537	MILG25537 1LB CAN	1 LB	Any product listed in current issue of QPL-25537 \triangle_1	Commercial
Grease, Aircraft, High Load Capacity	C-525	MIL-G-81827	MILG81827 14OZ	14 OZ	Royco 22MS	07950
	C-525	MIL-G-81827	MILG81827 1LB	1 LB	Aeroshell Grease 23C	07950
Grease, High Pressure	C-561	NLGI Grade 2	MB1913	15.5 OZ	Thixogrease	L1028
Grease, Molybdenum Disulfide, Low & High Temperatures	C-043	MIL-G-21164	MIL-G-21164	1 LB	Any product listed in current issue of QPL-21164 \triangle_1	Commercial
Grease, Petroleum Lubricant	C-023				Lubriplate 130-AA	73219
	C-023				Lubriplate 130-A	73219
Grease, Silicone, Aircraft and Instrument	C-526	A-A-59173			DC 33 (Light)	71984
Heatsink Compound, Non-curing, Thermally Conductive Silicone	C-573	None	DC-340	1 PT	Dow Corning No. 340	71984
Heatsink Compound, Silicone Base	C-041				Thermalcote 250	13103
Hydraulic Fluid, Petroleum Base	C-002	MIL-PRF-5606	MIL-H-5606	1 QT	Any product listed in current issue of QPL-5606 \triangle_1	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Hydraulic Fluid, Petroleum Base, Preservation/Operation	C-107	MIL-PRF-6083			Any product meeting specification	Commercial
Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant	C-029	MIL-PRF-83282			Any product listed in current issue of QPL-83282 \triangle_1	Commercial
Hydraulic Fluid, Synthetic Hydrocarbon, Fire Resistant, Low Temperature	C-072	MIL-PRF-87257	None	N/A	Royco 777	07950
	C-072	MIL-PRF-87257	None	N/A	Aeroshell Fluid 51	07950
	C-072	MIL-PRF-87257	None	N/A	Brayco Micronic 881	98308
Hydrochloric Acid (Muriatic Acid), Technical Grade	C-431	ASTM E1146	None	N/A	Any product meeting specification	Commercial
Hydrofluoric Acid, Technical Grade	C-117	MIL-A-24641	None	N/A	Any product meeting specification	Commercial
India Stone	C-464	None	INDIA STONE	Each	Abrasive Stone	Commercial
Inhibitor, Corrosion, Acid Pickle	C-417	MIL-I-17433	None	N/A	Rodine 213	84063
Ink, Etching, Acid	C-461	None	None	N/A	#25 Acid etching	38968
Insert Material, Low Density, Epoxy & Amine Base	C-584	299-947-097, Type II	299-947-097 TY2	1 PT		
	C-584	299-947-097, Type II	299-947-097, TY II	1 GAL		
	C-584	299-947-097, Type II	None	N/A	BH200A/9810	51625
	C-584	299-947-097, Type II	None	N/A	Magnobond 120-271	22121
Insulating Compound, Electrical (Conformal Coatings)	C-054	MIL-I-46058	MIL-I-46058, TY UR	1 GAL	Any product listed in current issue of QPL-46058 \triangle_1	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Insulation Tape, Electrical, Reinforced Silicone	C-548	A-A-59163, Type I	A-A-59163 .5W	Roll (0.5 wide)	Any product meeting specification	Commercial
	C-548	A-A-59163, Type I	603-1	Roll (1 wide)	Any product meeting specification	Commercial
	C-548	A-A-59163, Type I	A-A-59163 1.0W	Roll (1 wide)	Any product meeting specification	Commercial
Insulation, Thermal, Aluminum Backed Fiberglass, Reflective Facing	C-400	ASTM C665, Type III	150-026	4 SQ FT	Any product meeting specification	Commercial
Isopropyl Alcohol, 70%, Rubbing Type	C-285	None	None	N/A	Isopropyl Alcohol	Commercial
Isopropyl Alcohol, 99%	C-285	None	None	N/A	Isopropyl Alcohol	Commercial
Isopropyl Alcohol, 99%, Electronic Applications	C-385 EC-009	TT-I-735	TT-I735 ISOPROPYL	1 GAL	Any product meeting specification	Commercial
Kraft Paper, Wrapping, Untreated and Unbleached	C-254	None	None	N/A	Kraft Paper	Commercial
Lacquer, Acrylic, Grade P-95	C-594	299-947-069	None	N/A	Lacquer, Grade P-95	06341
Lacquer, Gloss, Clear	C-216	A-A-3165			Any product meeting specification	Commercial
Leak Detection Compound, Oxygen Systems	C-591	MIL-PRF-25567, Type I			Sherlock 5-Second	23316
Liquid Epoxy	C-219	MIL-P-38714, Type I, Grade 0	EPON828 W/DTA CATLST	1 PT	Epon 828	86961
Lubricant	C-032				3201-86217-01-0	99167
Lubricant, Cleaning and Preservation	C-391	MIL-L-63460				81349
Lubricant, Drilling and Tapping, Composites and Metals	C-569	None	None	N/A	Boelube 70104	18554
	C-569	None	None	N/A	Micro Lube	0M7L5

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)



NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Lubricant, Drilling and Tapping, Composites and Metals	C-569	None	None	N/A	ICF-31P	72008
	C-569	None	None	N/A	Cethyl Alcohol (solid blocks 1x2x3 approx.)	Commercial
	C-569	None	None	N/A	Joocy-Loob	
Lubricant, Dry Film	C-028	None	PERMALON #327	12 OZ	Permalon 327	8M506
Lubricant, Dry High Pressure	C-521		76209	Each	Mollylube Osborn P/N 76209	81348
Lubricant, Fluorosilicone	C-017	NLGI Grade 2			Molykote 3451	71984
Lubricant, Semi-Fluid	C-027	MIL-L-46000			Royco 46	07950
Lubricant, Solid Film	C-034				Everlube 620	11770
Lubricant, Solid Film, Air Cured, Corrosion Inhibitor	C-021	MIL-L-23398, Type II			Perma Slik G	
	C-021	MIL-L-23398, Type II	TIO-LUBE 70	12 OZ	TIOLUBE 70	34568
Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	C-005	AS5272	None	N/A	Lube-Lok 2109	11770
	C-005	AS5272	None	N/A	Sandstrom 9A	34227
	C-005	AS5272	TIO LUBE 460	1 QT	Tiolube 460	34568
Lubricant, Tube Pack, Driveshaft Coupling	C-015	None	204-040-755-005	6 OZ	204-040-755-005	97499
Lubricating and Preservative Oil, Low Volatility	C-020	MIL-PRF-6085	MIL-L-6085	1 GA	Any product listed in current issue of QPL-6085 	Commercial
	C-020	MIL-PRF-6085	MIL-L-6085 PT	1 PT	Any product listed in current issue of QPL-6085 	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)





NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Lubricating and Preservative Oil, Low Volatility	C-020	MIL-PRF-6085	MIL-L-6085 QT	1 QT	Any product listed in current issue of QPL-6085 	Commercial
Lubricating Grease	C-012	None	PLASTILUBE #3	14 OZ	Plastilube #3	1V074
	C-012				Molykote No. 3	70904
	C-012				ML 7 PLUS 2	
Lubricating Oil	C-013	J 2362 (10W30)			10W30	Commercial
	C-030	DOD-PRF-85734	None	N/A	Exxon Turbo Oil 25	Commercial
	C-030	DOD-PRF-85734	ROYCO 555	1 QT	Royco Turbine Oil 555	07950
	C-030	DOD-PRF-85734	AEROSHELL 555	1 QT	Aeroshell Turbine Oil 555	Commercial
Lubricating Oil, General Purpose, Low Temperature	C-039	MIL-PRF-7870			Any product listed in current issue of QPL-7870 	Commercial
Lubricating Oil, Jet Engine	C-009	MIL-PRF-6081, Grade 1010	MIL-L-6081	1 GAL	Any product listed in current issue of QPL-6081 	Commercial
	C-016	MIL-PRF-6081, Grade 1005			Any product listed in current issue of QPL-6081 	Commercial
Lubricating Oil, Light Machine	C-040				3 in 1 or equivalent	Commercial
Lubricating Oil, Piston Engine	C-031	J 1966, Grade 1100				Commercial
Lubricating Oil, Turbine Engine, Synthetic Base	C-010	MIL-PRF-7808, Grade 3	None	N/A	Royco 808H	07950

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Lubricating Oil, Turbine Engine, Synthetic Base	C-010	MIL-PRF-7808, Grade 3	None	N/A	Aeroshell Turbine Oil 308	Commercial
	C-010	MIL-PRF-7808, Grade 3	None	N/A	Exxon Turbo Oil 2389	Commercial
	C-010	MIL-PRF-7808, Grade 3	MIL-L-7808	1 QT		Commercial
	C-011	MIL-PRF-23699, Class HTS	AEROSHELL 560	1 QT	AeroShell Turbine Oil 560	Commercial
	C-011	MIL-PRF-23699, Class STD	ROYCO 500	1 QT	Royco Turbine Oil 500	07950
	C-011	MIL-PRF-23699, Class HTS	ROYCO 560	1 QT	Royco Turbine Oil 560	07950
	C-011	MIL-PRF-23699, Class STD	None	N/A	Aeroshell Turbine Oil 500	Commercial
	C-011	MIL-PRF-23699, Class HTS	MOBIL 254	1 QT	Mobil Jet Oil 254	Commercial
	C-011	MIL-PRF-23699, Class STD	None	N/A	Mobil Jet Oil II	Commercial
Luse-Lok	C-393				No. 2109	Commercial
Magnesium Fluoride [MgF2], Technical Grade	C-115	JAN-M-621	None	N/A	Magnesium Fluoride	Commercial
Masking Tape, 12 inch Scotch Paper	C-420				3M No. 1000	2E760
Masking Tape, High Temperature, Fine Line	C-164	None	None	N/A	3M No. 222	52152
Masking Tape, Polyester, High Temperature	C-260	None	8403GREEN1/4IN X72YDS	Each	3M No. 8403	76381
	C-260	None	8403	Each	3M No. 8403	76381

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Metal Marking Ink, Non-permanent	C-494				F-1200 Vapor-Off Pen	01195
Metal Surface Conditioner	C-123				Deoxidine 299	
	C-123				E-Pik 272	
	C-123				Cor D Smut 5215	
	C-123				Turco T4338	61102
Methylene Chloride, Technical Grade	C-534 EC-027	ASTM D4701	None	N/A	Dichloromethane	Commercial
Methyl-Ethyl-Ketone (MEK)	C-309 EC-081 S-309	ASTM D740	METHYL ETHYL KETONE	1 GAL	Any product meeting specification	Commercial
Methyl-Isobutyl-Ketone (MIBK)	C-379	ASTM D1153			Any product meeting specification	Commercial
Mineral Oil (All Grades)	C-053	None	None	N/A	Baby oil	Commercial
Mylar Tape, 1 inch by 72 yards	C-458				Mylar Tape, 1 inch by 72 yards	Commercial
Mylar Tape, 3/4 inch by 72 yards	C-457				Mylar Tape, 3/4 inch by 72 yards	Commercial
Nitric Acid [HNO ₃], Technical Grade	C-432 EC-029 S-432	A-A-59105	None	N/A	Any product meeting specification	Commercial
Nitrogen [N], Gaseous, Technical Grade	C-315	A-A-59503, Type I	None	N/A	Any product meeting specification	Commercial
Nitrogen [N], Liquid, Technical Grade	C-517	A-A-59503, Type II	None	N/A	Any product meeting specification	Commercial
Nonslip Compound, Walkway	C-223	A-A-59166, Type II	BLK,37038 GAL	1 GAL	Any product meeting specification	Commercial
Nonwoven Fabric, .3 oz/sq.yd	C-505				Cerex No. 23030	41335

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Nylon Braid, Flat Electrical Tying, Resin Coated	C-577	AMS 3817	50		Any product meeting specification	Commercial
Oakite Rust Stripper	C-341				Oakite 90	44389
Paint Remover, Epoxy & Polyurethane, Water Rinsable	C-436 EC-030	MIL-R-81294, Type I or II	None	N/A	Any product listed in current issue of QPL-81294 Δ_1	Commercial
	C-436 EC-030	MIL-R-81294, Type I or II	TURCO 5351(T-5469)	1 PT	Turco 5469	1N6B3
Paint Remover, General, Chlorinated Hydrocarbon, Water Rinsable	C-435	None	PR3700 5GAL	5 GAL	PR-3700	55208
Paint Remover, Hot Tank-Type, Water Rinsable	C-135	MIL-PRF-83936	None	N/A	Cee-Bee A-477	Z08B0
Paint Remover, No Hazardous Air Pollutants	C-046	TT-R-2918	None	N/A	PR-3133	55208
	C-046	TT-R-2918	None	N/A	Turco 6813ED	1N6B3
Paint Remover, Solvent Type, Water Rinsable	C-473	MIL-PRF-25134	MILR25134	1 GAL	Any product listed in current issue of QPL-25134 Δ_1	Commercial
Paint, Conductive, Silver	C-224				P/N 13220E8197	97403
Peelable Plastic Coating	C-217				Micropeel	
	C-217				Glo-Rubber Indian Red	
	C-217		TURCO 5580-G	5 GAL	Turco T-5580G	61102
Penetrant Inspection Kit, Fluorescent Dye	C-450	None	ZA-60	Each	ZA-60 Zyglo Kit	37676

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE	
Penetrating Fluid, High Solvency, VOC compliant	C-159	NSF H2	None	N/A	KB 88 - The Ultimate Penetrant	66724	
Petrolatum, Technical Grade	C-008 EC-031	VV-P-236	PETROLATUM 13 OZ	13 OZ		Commercial	
	C-008 EC-031	VV-P-236			Any product meeting specification	Commercial	
Plating Tape, Age Control	C-434				3M No. 471 (Purple)	04963	
	C-434				Borden Chemical No. 6404 (Yellow)	14429	
	C-434				SC-1 (Yellow)	56059	
	C-434				4-HTP (Green)	56059	
	C-434			471,BLK,.75 WIDE	Roll (0.75 wide)	3M No. 471	04963
	C-434			471,YEL,.75 WIDE	Roll (0.75 wide)	3M No. 471	04963
	C-434			420 1.00 WIDE	Roll (1 wide)	3M No. 420 (Lead Foil)	04963
	C-434			420 2.00 WIDE	Roll (2 wide)	3M No. 420 (Lead Foil)	04963
	C-434					3M No. 420 (Lead Foil)	04963
	C-434					3M No. 470 (Purple)	04963
Polyethylene Syringe	C-502				Polyethylene Syringe	52004	
Polyurethane Conductive Coating, Copper Filled	C-232	299-947-328			Lightning Guard, 599-A8574-1	87354	
	C-232	299-947-328				97499	

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Polyurethane Conductive Coating, Copper Filled	C-232	299-947-328			Antenna Guard, Y-1306	87354
Polyurethane Enamel	C-233	299-947-117, Type II			Imron 6000 (Basecoat/Clearcoat)	Commercial
	C-233	299-947-117, Type I			Imron Polyurethane Enamel	Commercial
Polyurethane Thinner	C-235	MIL-T-81772, Type I			(Polyurethane)	Commercial
	C-235	MIL-T-81772, Type II			(Epoxy)	Commercial
	C-235	MIL-T-81772, Type III	MILT81772 TYIII GAL	1 GAL	(Acrylic and Alkyd)	Commercial
Potassium Cyanide [KCN], Technical Grade	C-506	None	None	N/A	Potassium Cyanide	Commercial
Potassium Hydroxide [KOH] (Caustic Potash), Solid Form, Technical Grade	C-045 EC-001	ASTM E1456, Type I	None	N/A	Any product meeting specification	Commercial
Preservative Oil	C-578	MIL-L-21260, Type I or II				Commercial
Preservative Oil, Light, Aerosol or Bulk	C-125 EC-032				LPS 1	66724
	C-125 EC-032				LPS 2	66724
	C-125 EC-032		WD-40	12 OZ	WD 40	09137
	C-125 EC-032				CRC-3.36	81349
Preservative Oil, Light, Aerosol or Bulk	C-125 EC-032				Dinitrol AV5	81349

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Preservative Oil, Light, Aerosol or Bulk	C-125 EC-032				Oakite ProLine SPO 2	81349
	C-125 EC-032				K-638	81349
	C-125 EC-032				Dasco Guard 2411	81349
	C-125 EC-032				Dasco Guard 2408	81349
	C-125 EC-032				ACF-50	3AM52
	C-125 EC-032				3M 5-Way Preventive	09137
	C-125 EC-032				Castrol 4135	Commercial
	C-125 EC-032				Castrol 4169	Commercial
Primer for Adhesive Film, Epoxy, Modified, Supported and Unsupported	C-063	299-947-038, Class 5 or 10	BR1009-49/10PC TSOLID	1 QT	BR1009-49 10% Solids	09BV7
	C-063	299-947-038, Class 5 or 10	BR1009-49/5PCT PRIMER	1 QT	BR1009-49 5% Solids	09BV7
Primer, Adhesion Promoter, Potting	C-535 EC-064	None	None	N/A	PR-1523-M	83574
Primer, Catalyzed Epoxy	C-202	299-947-060, Type I	SUPER KOROPON	2 QT KIT	Super Koropon	K5635
	C-202	299-947-060, Type I	SUPER KOROPON GAL	1 GAL KIT	Super Koropon	K5635
Primer, Epoxy Polyamide, High-Solids	C-204	MIL-PRF-23377, Type I or II, Class C2	MIL-PRF-23377, TY I	2 GAL KIT		Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Primer, Epoxy Polyamide, High-Solids	C-204	MIL-PRF-23377, Type I or II, Class C2	MIL-PRF-23377TI,CLC	1 PT		Commercial
Primer, Silicone Adhesive	C-337	None	S2260	1 PT	Dow Corning S 2260 Prime Coat	71984
	C-337	None	S2260-4OZ	4 OZ	Dow Corning S 2260 Prime Coat	71984
	C-337	None	SS4004	1 PT	SS4004 Silicone Primer	01139
	C-337	None	1200 PRIMER	1 PT	Dow Corning 1200 Prime Coat	71984
Primer, Urethane Compatible	C-234	299-947-322, Type II			DeSoto, 513x411 Primer Base, 910x811 Curing Solution	97460
	C-234	299-947-322, Type I			DeSoto, 513x384 Primer Base, 910x456 Curing Solution	97460
Putty, General Purpose, Non-hardening, Corrosion Inhibiting	C-200	MIL-PRF-8116	MILP8116	16 OZ	Any product meeting specification	Commercial
Release Agent, Mold, Liquid	C-555	None	None	N/A	Loctite Frekote 44-NC	05972
	C-555	None	None	N/A	Mono-Coat E-150 N-ODS	Commercial
	C-555	None	FREKOTE 700-NC	1 GA	Loctite 700-NC	05972
Release Fabric, Peel Ply, Synthetic, Non-bonding	C-478	None	None	N/A	Release Ply B	53912
	C-478	None	None	N/A	Release Ply F	53912
	C-478	None	None	N/A	Release Ply Super F	53912

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Release Film, Fluoropolymer, Non-perforated	C-256	None	MB1679	Roll (50x500')	A5000	0F451
	C-256	None	None	N/A	A4000	53912
	C-256	None	None	N/A	Wrightlon 5200	53912
Release Film, Fluoropolymer, Perforated	C-570	None	None	N/A	A4000 P	53912
	C-570	None	A5000P	Roll (48x500')	A5000 Perforated	0F451
Release Film, Halohydrocarbon Polymer, Perforated	C-477 S-477	None	None	N/A	E3760 P1	85670
	C-477 S-477	None	None	N/A	Wrightlon 4500 P	53912
	C-477 S-477	None	VACPAC NO.3760P	1 SQ FT	E3760 P	85670
	C-477 S-477	None	None	N/A	E3760 P2	85670
	C-477 S-477	None	None	None	N/A	Wrightlon 4500 P1
Release Film, High Temperature, Non-perforated	C-225	None	None	N/A	E3760	85670
	C-225	None	None	N/A	Tedlar PVF film, grade 200SG40TR	18873
Rubber Coated Fabric	C-441				No. 5253	89373
Rubber Sheet, Flexible Cellular, Oil/Flame Resistant, 0.5 thick	C-048	ASTM D6576, Type II, Grade A, Soft	MILR6130TY2GR A.5SOFT	3 SQ FT	Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sanding Surfacers, Polyurethane, VOC Compliant	C-228	299-947-127			09GY006/09GY006C AT, Parts A & B	33461
Sealant Tape, Extruded, Cure Temp < 400°F	C-370	None	None	N/A	Tacky-Tape SM 5127	53309
	C-566	None	None	N/A	GS-213-3 (1/8 x 1/2)	53912
Sealant Tape, Extruded, General Purpose, Cure Temp < 375°F	C-259	None	GS100B.125X.50	Each	GS 100 (1/8 x 1/2)	53912
Sealant, Anaerobic, Retaining Compound	C-352	ASTM D5363, Group 04, Class 1, Grade 1	None	N/A	Permabond HL138	3R2V1
	C-352	ASTM D5363, Group 04, Class 1, Grade 1	None	N/A	Saf-T-Lok R01	4Z400
	C-352	ASTM D5363, Group 04, Class 1, Grade 1	609	50 CC	Loctite 609	05972
	C-352	ASTM D5363, Group 04, Class 1, Grade 2	None	N/A	Loctite 640	05972
	C-352	ASTM D5363, Group 04, Class 1, Grade 2	HM160	Each	Permabond HM160	3R2V1
	C-356	ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Saf-T-Lok R80	4Z400
	C-356	ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Loctite 635	05972

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sealant, Anaerobic, Retaining Compound	C-356	ASTM D5363, Group 04, Class 2, Grade 1	ASTM D5363, AN0421	50 CC		
	C-356	ASTM D5363, Group 04, Class 2, Grade 1	None	N/A	Permabond HM161	3R2V1
Sealant, Anaerobic, Threadlocking	C-263	None	LOCTITE 243	50 ML	Loctite 243	05972
Sealant, Anaerobic, Threadlocking, Fast Curing	C-299	ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Loctite 222	05972
	C-299	ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Permabond LM113	3R2V1
	C-299	ASTM D5363, Group 03, Class 1, Grade 1	MILS46163TY11 GRM50CC	50 CC		
	C-299	ASTM D5363, Group 03, Class 1, Grade 1	None	N/A	Saf-T-Lok T22	4Z400
Sealant, Anaerobic, Threadlocking, Slow Curing	C-320	ASTM D5363, Group 01, Class 1, Grade 1	None	N/A	Permabond HL126	3R2V1
	C-320	MIL-S-22473, Grade N, Form R	None	N/A	Permabond ASC10	3R2V1
	C-320	ASTM D5363, Group 01, Class 4, Grade 2	MIL-S-22473GRC V50CC	50 CC	Loctite 083	05972
	C-320	MIL-S-22473, Grade N, Form R	MIL-S-22473,GR N4.5OZ	4.5 OZ	Loctite 7649	05972

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Sealant, Anaerobic, Threadlocking, Slow Curing	C-320	ASTM D5363, Group 01, Class 1, Grade 1	MILS22473 GR AA 50CC	50 CC	Loctite 089	05972
	C-320	ASTM D5363, Group 01, Class 6, Grade 1	MIL-S-22473,GR H 50CC	50 CC	Loctite 078	05972
	C-320	ASTM D5363, Group 01, Class 2, Grade 3	MIL-S-22473,GR AV	50 CC	Loctite 087	05972
	C-320	ASTM D5363, Group 01, Class 5, Grade 1	MIL-S-22473,GR E	50 CC	Loctite 080	05972
	C-320	MIL-S-22473, Grade T, Form R	LOCQUIC T 747	6 OZ	Loctite 7471	05972
	C-320	MIL-S-22473, Grade N, Form R	LOCQUIC N 6 OZ	6 OZ	Loctite 7649	05972
	C-320	ASTM D5363, Group 01, Class 6, Grade 1	MILS22473GRH 50CC	50 CC	Loctite 078	05972
	C-320	MIL-S-22473, Grade T, Form R	None	N/A	Permabond ASC10	3R2V1
	C-320	MIL-S-22473, Grade N, Form R	LOCTITE 7649	1.75 OZ	Loctite 7649	05972
Sealant, Corrosion Inhibitor	C-251 S-392	MIL-PRF-81733	None	N/A	AC-665 B-1/2	1DWR5
	C-251 S-392	MIL-PRF-81733	MIL-PRF-81733 2.5 OZ	2.5 OZ		
	C-251 S-392	MIL-PRF-81733	MILS81733TY II-2 QT	1 QT		

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sealant, Corrosion Inhibitor	C-251 S-392	MIL-PRF-81733	None	N/A	P/S 870 B-1/2	0ZX56
	C-251 S-392	MIL-PRF-81733	PR 870 A-2	6 Oz	P/S 870 A-2	0ZX56
	C-251 S-392	MIL-PRF-81733	MILS81733TY II-2 PT	1 PT		
Sealant, Low Adhesion, Removable Panels	C-328	AMS 3267/4	None	N/A	PR-1428, Class B-2	83574
	C-328	AMS 3267/4	None	N/A	AC-615, Class B-2	1DWR5
	C-328	AMS 3284, Type I	AMS 3267	3.5 OZ KIT		
	C-328	AMS 3284, Type I	AMS3284, TY 1	1 QT KIT		
	C-328	AMS 3284, Type I	None	N/A	PR-1773, Class B-2	83574
	C-328	299-947-074, Type III	None	N/A	PR-1773, Class B-2	83574
	C-328	AMS 3284, Type I	None	N/A	CS 3330, Class B-2	14439
	C-328	AMS 3284, Type I	AMS 3267 2OZ	2 OZ KIT		
Sealant, Temp. & Fuel Resistant, High Adhesion	C-308 EC-005 S-308	299-947-107, Type III, Class 7			PR-1440, Class B-2	83574
	C-308 EC-005 S-308	299-947-107, Type III, Class 7			Pro-Seal 890-B2	83574
	C-308 EC-005 S-308	299-947-107, Type III, Class 7			PR-1440, Class B-2	83574

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sealant, Temp. & Fuel Resistant, High Adhesion	C-308	AMS-S-8802, Class B2			CS3204-B2	14439
	EC-005					
	S-308					
	C-308	AMS-S-8802, Class B2	AMS-S-8802 6OZ	6 OZ		
	EC-005					
	S-308					
Sealing Compound	C-308	AMS-S-8802, Class B2	AMS-S-8802 PT	1 PT		
	EC-005					
	S-308					
	C-308	AMS-S-8802, Class B2	AMS-S-8802 QT	1 QT		
	EC-005					
	S-308					
Sealing Compound, Corrosion Inhibitive, Premixed, Prefrozen	C-308	299-947-107, Type III, Class 7	299-947-107 TY3 CL7	50 GRAMS		
	EC-005					
Sealing Compound	C-308	299-947-107, Type III, Class 7			CS3204-B2	14439
	EC-005					
Sealing Compound, Dielectric	C-360				Pro-Seal 711-EP-B2	83527
	EC-005					
Sealing Compound, Corrosion Inhibitive, Premixed, Prefrozen	C-151	299-947-074, Type IV	None	N/A	P/S 870 B-2	0ZX56
	EC-005					
Sealing Compound, Dielectric	C-151	299-947-074, Type IV	None	N/A	AC-665 B-2	1DWR5
	EC-005					
Sealing Compound, Dielectric	C-161	MIL-PRF-8516, Type II	MILS8516 TY2 CL2 PT	1 PT		
	EC-005					
	S-308					
Sealing Compound, Dielectric	C-161	MIL-PRF-8516, Type II	MILS8516TY2CL 2 12OZ	12 OZ		
	EC-005					
Sealing Compound, Dielectric	C-161	MIL-PRF-8516, Type II	None	N/A	CS 3100, Type II, Class 2	14439
	EC-005					

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sealing Compound, Dielectric	C-161	MIL-PRF-8516, Type II	None	N/A	WS-516, Type I and II	
Sealing Compound, Dielectric, Premixed, Prefrozen	C-531	299-947-074, Type II	299-947-074 TY2 6OZ	6 OZ	299-947-074 Class 1, 2, or 3	97499
	C-531	299-947-074, Type II	None	N/A	CS 3100	14439
Sealing Compound, Fuel Resistant	C-559	AMS 3276	AMS3276 1 PT	1 PT	Any product meeting specification	Commercial
Sealing Compound, One-part Silicone, Firewall	C-353 S-353	AMS 3374, Type I	DAPCO 2100	6 OZ	Dapco 2100	58093
	C-353 S-353	AMS 3374, Type I	None	N/A	Dapco 2200	58093
Sealing Compound, Pipe, Joint and Thread White, Lead Free	C-440	TT-S-1732	TTS1732	1 PT	Any product meeting specification	Commercial
Sealing Compound, Polythioether Rubber, Fuel Resistant, Fast Curing	C-158	AMS 3277, Type II, Class B	PR-1828 B-1/2	3 OZ	PR-1828 Class B	0ZX56
	C-158	AMS 3277, Type II, Class B	PR-1828 B-2	2.5 OZ KT	PR-1828 Class B	0ZX56
Sealing Compound, Polythioether, Electrically Conductive	C-139	299-947-537	None	N/A	PR-2200 Class B	83574
	C-139	AMS 3266	PR1764-20Z	2 OZ	PR-1764 Class B	83574
	C-139	AMS 3266	PR1764	2 OZ	PR-1764 Class B	83574
Sealing Compound, Polythioether, Fuel and High Temperature	C-396	MIL-S-29574, Type I, Class B-1/2	MILS29574TYI CLB 6OZ	6 OZ	Any product meeting specification	Commercial
Sealing Tape, Expanded PTFE, Adhesive Backed, Non-ribbed, Tapered	C-595	AMS 3255, Class 2			120-255-7	0AMD8

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Sealing Tape, Expanded PTFE, Adhesive Backed, Ribbed	C-597	AMS 3255, Class 1	120-255-3	Roll	120-255-3	0AMD8
Sheet, Hard Felt (Rabbit Fur), 0.062 inch thick	C-445	C-F-206, Type I, Class 16R1X, 1/16 thk			No. 2610-7087	97499
	C-445					91801
Shellac Varnish	C-211	A-A-8, Type I, Grade B, Body 2	TT-S-300 TYI GRADEB	1 GAL		Commercial
Shimming Compound, Filled Resin, Two-Part (Uncatalyzed)	C-567	AMS 3726, Class 1	DMS-4-828	50 GRAMS	DMS-4-828	30256
Silicone Compound	C-018	AS8660	NO.4 SILICONE	5.3 OZ	DC-4	71984
Sleeving, Braided, Expandable	C-536 EC-072	None	130-053-()-0	1 FT	130-053-()-0	97499
Sodium Bicarbonate [NaHCO ₃], Technical Grade	C-488 EC-075	A-A-374	None	N/A	Any product meeting specification	Commercial
Sodium Chloride [NaCl] (Salt), Technical Grade	C-501	A-A-694	None	N/A	Any product meeting specification	Commercial
Sodium Chromate, Tetrahydrate [Na ₂ CrO ₄ .4H ₂ O], Technical Grade	C-147	None	None	N/A	Sodium Chromate Tetrahydrate	Commercial
Sodium Cyanide [NaCN], Technical Grade	C-507	None	None	N/A	Sodium Cyanide	Commercial
Sodium Dichromate [Na ₂ Cr ₂ O ₇], Technical Grade	C-212	A-A-59123	None	N/A	Any product meeting specification	Commercial
Sodium Hydroxide [NaOH] (Caustic Soda), Technical Grade	C-118	ASTM D456	None	N/A	Any product meeting specification	Commercial
Sodium Thiosulphate [Na ₂ S ₂ O ₃], Anhydrous, Technical Grade	C-243	None	None	N/A	Sodium Thiosulphate	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Solder, Electronic Grade	C-538	ANSI J-STD-006	None	N/A	Sn60WRMAP3	Commercial
	C-539 C-042	ANSI J-STD-006	None	N/A	Sn60WS	Commercial
	C-540 EC-040	ANSI J-STD-006	None	N/A	Sn62WRMAP	Commercial
	C-541	ANSI J-STD-006	None	N/A	Sn62WS	Commercial
	C-542	ANSI J-STD-006	None	N/A	Sn63WRMAP3	Commercial
	C-543 EC-044	ANSI J-STD-006	None	N/A	Sn63WS	Commercial
Solder, Hard, Brazing Alloy, Silver	C-537 EC-045	QQ-B-654, BAg-9	None	N/A		Commercial
Soldering Flux, Rosin	C-532 EC-023	ANSI J-STD-004	KESTER FLUX #185	1 GAL	Kester 185	75297
Soluble Oil, Corrosion Inhibitor	C-038	MIL-I-24453				29700
Solvent, Cleaner, VOC compliant	C-386	None	None	N/A	Prep-Sol 3919S	18873
Solvent, Drycleaning, Degreaser	C-304 EC-046	MIL-PRF-680, Type II	PD680	1 GAL	Any product meeting specification	Commercial
	C-304 EC-046	MIL-PRF-680, Type II	MIL-PRF-680TYII	5 GAL	Any product meeting specification	Commercial
Spacers	C-544				Spacers	Commercial
Staining Medium, Dye, Opaque	C-138	None	None	N/A	DYKEM Staining Color 81413	98148
	C-138	None	None	N/A	DYKEM Staining Color 81713	98148
Steel Metal Sheet, Normalized 4130, 0.050 inch thick	C-515	AMS 6345				Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Steel Wool	C-411	None	None	N/A	Steel Wool	Commercial
Stencil Ink	C-499	A-A-208, Type I			Any product meeting specification (Color No. 603)	09800
	C-585	A-A-208, Type III			Any product meeting specification	09800
Stoddard Solvent, Mineral Spirits, Degreasing	C-389	MIL-PRF-680, Type I				Commercial
Strap, Tiedown, Adjustable, Self-clinching, Plastic	C-292	None	PLT1M-C702Y	Each	Cable tie, 4.0, miniature cross section	06383
	C-292	None	PLT2S-C702Y	Each	Cable tie, 7.4, miniature cross section	06383
Strap, Tiedown, Adjustable, Self-clinching, Plastic, Ty I, CI 1	C-592 EC-087	AS33671	MS3367-2-9	Each	Any product meeting specification	Commercial
	C-592 EC-087	AS33671	MS3367-1-9	Each	Any product meeting specification	Commercial
	C-592 EC-087	AS33671	MS3367-2-0	Each	Any product meeting specification	Commercial
	C-592 EC-087	AS33671	MS3367-7-9	Each	Any product meeting specification	Commercial
	C-592 EC-087	AS33671	MS3367-4-9	Each	Any product meeting specification	Commercial
	C-592 EC-087	AS33671	MS3367-5-9	Each	Any product meeting specification	Commercial
Strip Aid, Copper	C-413				ALK-Cu Strip	Commercial
	C-413				Rostrrip M-10	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Strip Aid, Copper	C-413				Metex Strip Aid	Commercial
	C-413				Enstrip S	Commercial
	C-413				Wetalyne Stripper No. 1	Commercial
Stripper	C-545 EC-047				LAR 388	Commercial
Surgical Tubing	C-433				Surgical Tubing	43729
Synthetic Lacquer, Camouflage, Exterior, VOC Compliant	C-226	A-A-3164			Any product meeting specification	Commercial
Synthetic Rubber Coated Fabric	C-442				Synthetic Rubber Coated Fabric	89373
Talcum Powder, Technical Grade, 35/65 Silicon Dioxide	C-408	A-A-59303, Type T1	MILT50036	5 LB	Any product meeting specification	Commercial
Tape, Adhesive, Acrylic Foam, Black	C-163	None	4949,.750 WIDE	Roll (0.75 wide)	3M No. 4949	76381
Tape, Adhesive, Hot-Melt, Thermoplastic	C-160 EC-055	None	S-1048	Roll (1 wide)	S-1048	06090
Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	C-430	A-A-59298	None	N/A	Any product meeting specification	Commercial
Tape, Adhesive, Pressure Sensitive, Dissimilar Metal Separation	C-456	A-A-59298	A-A-59298	Roll (3.5 wide)	3M No. 853	76381
	C-456	A-A-59298	A-A-59298 1.00 WIDE	Roll (1 wide)	3M No. 853	76381
	C-456	A-A-59298	MIL-T23142 .500 WIDE	Roll (0.5 wide)	3M No. 853	76381
Tape, Adhesive, Pressure Sensitive, Glass Cloth, Heat Resistant	C-403	299-947-110, Type I	361,2IN	Roll (2 wide)	3M No. 361	76381

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tape, Adhesive, Pressure Sensitive, PTFE Coated Fiberglass	C-157	None	None	N/A	Tooltec A005	53912
	C-157	None	None	N/A	CHR A2005	1ECV7
Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 3.0 to 4.5 µIN	C-460 EC-056	299-947-110, Type III, Class 1	None	N/A	CHR 2285-2	1ECV7
	C-460 EC-056	299-947-110, Type III, Class 1	299-947-110 TY3 CL1	Roll (1 wide)	3M No. 5490	76381
	C-460 EC-056	299-947-110, Type III, Class 1	299-947-110TY3C L1 2I	Roll (2 wide)	CHR HM426	71643
	C-460 EC-056	299-947-110, Type III, Class 1	299-947-110TY3C L1	Roll (3 wide)		
	C-460 EC-056	299-947-110, Type III, Class 1	None	N/A	CHR 2255-2	1ECV7
Tape, Adhesive, Pressure Sensitive, PTFE Extruded, 5.5 to 7.5 µIN	C-553	299-947-110, Type III, Class 2	None	N/A	3M No. 5491	76381
	C-553	299-947-110, Type III, Class 2	299-947-110 TY3 CL2	Roll (0.5 wide)		
	C-553	299-947-110, Type III, Class 2	299-947-110TY3C 2 3IN	Roll (3 wide)		
Tape, Adhesive, Pressure Sensitive, PTFE Woven Glass Cloth	C-454	299-947-110, Type II	5453	Roll (1 wide)	3M No. 5453	76381
	C-454	299-947-110, Type II	299-947-110, TYII, 2IN	Roll (2 wide)	3M No. 5453	76381
	C-454	299-947-110, Type II	299-947-110TY2 5/8	Roll (5/8 wide)	3M No. 5453	76381
Tape, Adhesive, Reflectorized Sheeting	C-483	None	None	N/A	3M No. 7610	76381

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tape, Adhesive, Reflectorized Sheeting	C-483	None	10605000	Roll (150' long)	10605000	35012
Tape, Adhesive, Silicone	C-549 EC-051	A-A-59474				Commercial
Tape, Aluminum Foil	C-439	None	425-2IN	Roll (2 wide)	3M No. 425	04963
	C-439		None	N/A	BT 102	0E7C4
	C-439	None	425 12.00 WIDE	Roll (12 wide)	3M No. 425	04963
Tape, Aluminum Foil/Glass Cloth, High Temperature	C-401	None	363,2.00 WIDE	Roll (2 wide)	3M No. 363	04963
Tape, Anti-chafing	C-509				3M No. 4408	04963
	C-509		4408,.75 WIDE	Roll (0.75 wide)	3M No. 4408	04963
	C-509		4408,1/8X3,BLK	Roll	3M No. 4408	04963
	C-509		4408,2.00 WIDE	Roll (2 wide)	3M No. 4408	04963
	C-510				3M No. 4508	04963
Tape, Anti-seize, Tetrafluoroethylene (TFE), with Dispenser	C-133	MIL-T-27730	None	N/A	Any product meeting specification	Commercial
Tape, Double Emulsion	C-511	None	NO 444	Roll (2 wide)	3M Double Coated Tape 444	04963
	C-511	None	3M444	Roll	3M Double Coated Tape 444	04963
Tape, Erosion, Protective, Polyurethane	C-557	None	70-0000-6236-7	Roll (6x36 yards)	3M No. 8663HS	52152

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tape, Erosion, Protective, Polyurethane	C-557	None	70-0000-8095-5	Roll (6x36 yards)	3M No. 8663HS	52152
Tape, Flatback, High Adhesion	C-518	None	2525 1.00 WIDE	Roll (1 wide)	3M No. 250	04963
Tape, Foam, Soundproofing	C-504				3M No. 4370	04963
Tape, Foam, Urethane	C-455	None	4318,.50 WIDE	Roll (0.5 wide)	3M No. 4318	76381
Tape, Foam, Vinyl, Double Coated, 1/16 Thick	C-047	None	4416,.750 WIDE	Roll (0.75 wide)	3M No. 4416	52152
	C-047	None	4416,1.00 WIDE	Roll (1 wide)	3M No. 4416	52152
Tape, Lacing, Aramid	C-581	A-A-52084	AA52084-C-2	Roll (100' long)	AA52084-C-2	Commercial
	C-581	A-A-52084	LACING TAPE SIZE 3	Each	AA52084-C-3	Commercial
Tape, Lacing, Polyester	C-547 EC-052	A-A-52081	None	N/A	Any product meeting specification	Commercial
Tape, Masking	C-426	None	232 1IN WIDE	Roll (1 wide)	3M No. 232	52152
Tape, Masking, High Temperature, Pressure Sensitive	C-165	None	2525 1.00 WIDE	Roll (1 wide)	3M No. 2525	52152
	C-165	None	None	N/A	3M No. 214	52152
Tape, Packaging, Waterproof	C-410	ASTM D5486/D 5486M, Type III			Any product meeting specification	Commercial
Tape, Plastic (PMB)	C-576				Tape 500 (3M)	Commercial
	C-576		BT-100	Roll (2 wide)	BT-100 (Anchor Continental)	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tape, Polyester, Double Coated	C-148	None	415,.5 WIDE	Roll (0.5 wide)	3M No. 415	52152
Tape, Polyester, High Temperature, Pressure Sensitive	C-462 EC-068	None	None	N/A	Flashbreaker 1	53912
	C-462 EC-068	None	None	N/A	Flashbreaker 2	53912
Tape, Polyurethane, Pressure Sensitive	C-503	299-947-113	299-947-113 .50WIDE	Roll (0.5 wide)	3M No. 8671	04963
	C-503	299-947-113	299-947-113 1.00WIDE	Roll (1 wide)	3M No. 8671	04963
	C-503	299-947-113	299-947-113 6IN	Roll (6 wide)	3M No. 8671	04963
Tape, Thread Sealant and Lubricant, PTFE	C-596	None	48 THD SEAL	Each	48 Thread Sealant and Lubricant	75037
	C-596	None	None	N/A	Scotch brand No.547	52004
Tape, Vinyl	C-453	None	472,BLK,1.00 WIDE	Roll (1 wide)	3M Vinyl Tape 472	76381
	C-453	None	472,BLK,2.00 WIDE	Roll (2 wide)	3M Vinyl Tape 472	76381
	C-453	None	472,BLK,3.00 WIDE	Roll (3 wide)	3M Vinyl Tape 472	76381
Teflon-Dacron Fabric	C-481	None	S-1854-X1106	1 SQ FT	No. X1106	76157
Tetrahydrofuran (THF)	C-550 EC-065	A-A-59282	None	N/A	Any product meeting specification	Commercial
Thermoplastic Sealant Tape	C-546				XTPA-080	Commercial
Thinner, Dope, Cellulose Nitrate	C-205	MIL-T-6095			Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Thinner, Nitrate Cellulose Lacquer	C-206 EC-057	MIL-T-19544				Commercial
	C-206 EC-057	A-A-857				Commercial
Thread, Cotton	C-475	A-A-52094	None	N/A	Any product meeting specification	81348
Thread, Nylon, Twisted Multiple Cord, Bonded Finish, General Purpose	C-192	A-A-59826, Type II, Class A	None	N/A	Any product meeting specification	Commercial
Thread, Nylon, Twisted Multiple Cord, Soft Finish, Nonwiking	C-492	A-A-59826, Type I, Class B	None	N/A	Any product meeting specification	Commercial
Tinting Medium, Pigment, Enamel	C-438	A-A-3108	None	N/A	AA3108B	Commercial
Titanium Cleaner	C-395		PASAJEL107	1 QT	Pasa-Jell 107	2B665
Toluene, Technical Grade	C-306 EC-059	A-A-59107	TTT548	55 GAL	Any product meeting specification	Commercial
Torque Seal, Lacquer	C-049	None	F900, YELLOW	0.5 OZ	F-900	01195
Trichloroethylene, Vapor Degreaser	C-524	ASTM D4080				Commercial
Trichlorotrifluoroethane, Cleaning Compound, Standard	C-533 EC-024	MIL-C-81302, Type II	None	N/A	1,1,2-Trichlorotrifluoro ethane, Freon TF, or 113	Commercial
Tubing, Insulation, Heat Shrinkable	C-293	None	DR-25 1/4-0	1 FT	DR-25-1/4-0-SP	06090
	C-293	None	None	N/A	DR-25-1/8-0-SP	06090
	C-293	None	None	N/A	DR-25-3/16-0-SP	06090
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-302-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-302-0	1 FT	Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tubing, Insulation, Heat Shrinkable	C-493	AMS-DTL-23053/18, Class 3	M23053/18-303-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-303-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-304-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-304-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-305-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-308-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-309-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-310-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-310-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-305-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-306-C	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-306-0	1 FT	Any product meeting specification	Commercial
	C-493	AMS-DTL-23053/18, Class 3	M23053/18-307-0	1 FT	Any product meeting specification	Commercial
	C-587 EC-071	AMS-DTL-23053/4, Class 3	None	N/A	ATUM (RK-6025)	06090

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/ SOURCE
Tubing, Insulation, Heat Shrinkable	C-588	AMS-DTL-23053/8	M23053/8-001-C	1 FT	Any product meeting specification	Commercial
	C-588	AMS-DTL-23053/8	M23053/8-004-C	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-103-9	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-104-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-105-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-106-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-107-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-108-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-109-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-109-2	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-111-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-102-0	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-103-0	1 FT	Any product meeting specification	Commercial
C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-118-0	1 FT	Any product meeting specification	Commercial	

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Tubing, Insulation, Heat Shrinkable	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-109-9	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-106-9	1 FT	Any product meeting specification	Commercial
	C-589 EC-069	AMS-DTL-23053/5, Class 1	M23053/5-107-9	1 FT	Any product meeting specification	Commercial
	C-590 EC-070	AMS-DTL-23053/4, Class 2	M23053/4-203-0	1 FT	Any product meeting specification	Commercial
Turbine Fuel	C-003	MIL-DTL-83133, Grade JP-8	None	N/A	Refer to Flight Manual for approved fuels	Commercial
	C-003	MIL-DTL-5624, Grade JP-5	None	N/A	Refer to Flight Manual for approved fuels	Commercial
	C-003	MIL-DTL-5624, Grade JP-4	None	N/A	Refer to Flight Manual for approved fuels	Commercial
	C-003	ASTM D1655, Type Jet A	None	N/A	Refer to Flight Manual for approved fuels	Commercial
	C-003	ASTM D1655, Type Jet A-1	None	N/A	Refer to Flight Manual for approved fuels	Commercial
	C-003	ASTM D6615	None	N/A	Refer to Flight Manual for approved fuels	Commercial
Twine, Fibrous, Nylon, Waxed, Lacing and Tying	C-141	MIL-T-713, Type P, Class 1	MILT713CLI	Roll (1 LB)	Any product meeting specification	Commercial
Vapor Degreaser	C-563 EC-060	ASTM D4376			Tetrachloroethylene, Perchloroethylene	Commercial
Varnish	C-249	MIL-V-173 Amend 2, Type 2				Commercial
	C-249	MIL-V-173 CP2				Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Varnish	C-249	MIL-V-173				Commercial
	C-249	MIL-V-173 CP1				Commercial
Varnish, Alkaline Resistant	C-237	A-A-1800, Type I or II			Any product meeting specification	Commercial
Vinyl Tape	C-468		4508,BLK,.75 WIDE	Roll (0.75 wide)	3M No. 4508 (Black)	04963
	C-468		4508 1-2IN	Roll (0.5 wide)	3M No. 4508 (Black)	04963
	C-468		4508,1/8X1,BLK	Roll	3M No. 4508 (Black)	04963
Wax, Waterproof, Solvent Type	C-412	MIL-W-18723	MILW18723	1 GAL	Concord 1600	Commercial
Welding Tube (Borium), 0.125 inch Hard Facing	C-484				Welding Tube (Borium), 0.125 inch Hard Facing	57965
	C-484				Welding Tube (Borium), 0.125 inch Hard Facing	2M161
Welding Tube (DT600HM), 0.125 inch Hard Facing	C-485				Welding Tube (DT600HM), 0.125 inch Hard Facing	26195
Wicking Cloth, Fiberglass or Equivalent	C-469				HG32-38 inch	91775
Wire, Safety, CRES, 0.015	C-154	NASM20995	MS20995C15	Roll (1 LB)		Commercial
Wire, Safety, CRES, 0.020, AS100026	C-508	AS5685	AS100026	Roll (1 LB)		Commercial
Wire, Safety, CRES, 0.025, AS100027	C-580	AS5685	None	N/A	Any product meeting specification	Commercial

Table 13-2. Consumable Materials List — Nomenclature Versus Item Number (Cont)

NOMENCLATURE	ITEM NO.	SPECIFICATION	BELL ORDER NO.	ORDER QTY	MATERIAL	CAGE/FSCM/SOURCE
Wire, Safety, CRES, 0.032, AS100028	C-405 EC-025	AS5685	AS100028	Roll (5 LB)		Commercial
Wire, Safety, CRES, 0.041, AS100029	C-447 EC-026	AS5685	AS100029 1LB ROLL	Roll (1 LB)		Commercial
	C-447 EC-026	AS5685	AS100029 5LB ROLL	Roll (5 LB)		Commercial
Wire, Shear, Copper, 0.015	C-554	NASM20995	MS20995CY15-4 8	4 FT	Any product meeting specification	Commercial
Wire, Shear, Copper, 0.020	C-414	NASM20995	MS20995CY20	1 LB	Any product meeting specification	Commercial
Zinc Chromate Primer	C-201 EC-033	TT-P-1757	TT-P-1757-CP G	3 OZ	Any product meeting specification	Commercial
	C-201 EC-033	TT-P-1757	TT-P-1757	12 OZ	Any product meeting specification	Commercial
	C-201 EC-033	TT-P-1757	TT-P-1757CP G/CLR T	1 GA	Any product meeting specification	Commercial

NOTE:

Refer to the U.S. Government web site www.assistdocs.com for free public access to the Qualified Products List (QPL).

Table 13-3. Alternates for Bell Helicopter Textron Adhesives

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-038, Type I, Form B, Grade 08 (C-364)	FM1000-EP15	340-355°F (171 to 179.78°C)	60 to 90 minutes	10 to 50 PSI (69 to 345 kPa)	3 months at 40 to 60°F (4 to 16°C)	BR1009-49
299-947-038, Type I, Form S, Grade 06 (C-364)	FM1000-5302	340-355°F (171 to 179.78°C)	60 to 90 minutes	10 to 50 PSI (69 to 345 kPa)	3 months at 40 to 60°F (4 to 16°C)	BR1009-49
299-947-038, Type I, Form U, Grade 06 (C-364)	FM1000	340-355°F (171 to 179.78°C)	60 to 90 minutes	10 to 50 PSI (69 to 345 kPa)	3 months at 40 to 60°F (4 to 16°C)	BR1009-49
299-947-066, Type I (C-301)	Scotch-Weld 3549 (brown)	Room temp or 160°F (71°C) (alternate)	2 days or 2 hours (alternate)	5 to 20 PSI (35 to 138 kPa)	6 months at room temp	None
	Dapcotac 3013 (natural color)	Room temp or 160°F (71°C) (alternate)	2 days or 2 hours (alternate)	5 to 20 PSI (35 to 138 kPa)	6 months at room temp	None
299-947-066, Type II	Scotch-Weld 3549 (brown)	Room temp or 160°F (71°C) (alternate)	2 days or 2 hours (alternate)	5 to 20 PSI (35 to 138 kPa)	6 months at room temp	None
	Dapcotac 3013 (black)	Room temp or 160°F (71°C) (alternate)	2 days or 2 hours (alternate)	5 to 20 PSI (35 to 138 kPa)	6 months at room temp	None
299-947-066, Type III	Scotch-Weld TE031 (natural color)	Room temp	2 days	5 to 20 PSI (35 to 138 kPa)	6 months at room temp	None
299-947-072, Type I (C-323)	RP1257-3	Room temp or 125 to 175°F (52 to 80°C) (alternate)	24 hours or 1 hour (alternate)	None	12 months at room temp	None
	EA 960-A EQ 960-B	Room temp or 125 to 175°F (52 to 80°C) (alternate)	24 hours or 1 hour (alternate)	None	12 months at room temp	None

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-072, Type II (C-323)	RP1257-4	Room temp or 125 to 175°F (52 to 80°C) (alternate)	24 hours or 1 hour (alternate)	None	12 months at room temp	None
	EA 960-F EQ 960-B	Room temp or 125 to 175°F (52 to 80°C) (alternate)	24 hours or 1 hour (alternate)	None	12 months at room temp	None
299-947-072, Type IV	APF 4	Room temp	30 minutes	None	12 months at room temp	None
299-947-092 (C-303)	PS-18	Room temp or 120 to 150°F (49 to 66°C) (alternate)	30 minutes or 10 minutes (alternate) - additional 24 hours	Firm contact	6 months at 50 to 60°F (10 to 16°C)	None
	PS-30	Room temp or 120 to 150°F (49 to 66°C) (alternate)	30 minutes or 10 minutes (alternate) - additional 24 hours	Firm contact	6 months at 50 to 60°F (10 to 16°C)	None
299-947-099 (C-313)	Metaset A-4	Room temp or 145 to 180°F (63 to 82°C) (alternate)	24 hours or 30 minutes (alternate)	Firm contact	12 months at 40 to 80°F (4 to 27°C) or 18 months below 40°F (4°C)	None
	EA 9340	Room temp or 145 to 180°F (63 to 82°C) (alternate)	24 hours or 30 minutes (alternate)	Firm contact	12 months at 40 to 80°F (4 to 27°C) or 18 months below 40°F (4°C)	None

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-099 (C-313)	Araldite AV1258/ HV1258	Room temp or 145 to 180°F (63 to 82°C) (alternate)	24 hours or 30 minutes (alternate)	Firm contact	12 months at 40 to 80°F (4 to 27°C) or 18 months below 40°F (4°C)	None
299-947-100, Type I, Class 6	EC 3448	225 to 300°F (107 to 149°C)	55 to 65 minutes	Firm contact to 10 PSI (69 kPa)	180 days below 0°F (-18°C)	None
299-947-100, Type II, Class 2 (C-317)	Magnobond 6398	Room temp or 190 to 210°F (88 to 99°C) (alternate)	5 to 7 days or 55 to 65 minutes (alternate)	None or firm contact to 10 PSI (69 kPa) (alternate)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None
	Hysol EA934NA	Room temp or 175 to 185°F (80 to 85°C) (alternate)	5 to 7 days or 55 to 65 minutes (alternate)	None or firm contact to 10 PSI (69 kPa) (alternate)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None
	Hysol EA9392	Room temp or 175 to 185°F (80 to 85°C) (alternate)	5 to 7 days or 55 to 65 minutes (alternate)	None or firm contact to 10 PSI (69 kPa) (alternate)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-100, Type II, Class 3 (C-363)	Hysol EA956	Room temp or 195 to 205°F (91 to 96°C) (alternate)	5 to 7 days or 55 to 65 minutes (alternate)	None or firm contact to 10 PSI (69 kPa) (alternate)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None
	Magnobond 6367	Room temp or 190 to 210°F (88 to 99°C) (alternate)	5 to 7 days or 55 to 65 minutes (alternate)	None or firm contact to 10 PSI (69 kPa)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None
299-947-100, Type II, Class 4	EC 1469	320 to 340°F (160 to 171°C) or 340 to 360°F (171 to 182°C) (alternate)	55 to 65 minutes or 50 to 60 minutes (alternate)	Firm contact to 10 PSI (69 kPa)	12 months below 40°F (4°C) or 90 days at 40 to 85°F (4 to 29°C) or 60 days at 85 to 100°F (29 to 38°C)	None
299-947-107, Type I, Class 1 (C-324)	Pro-Seal 596	Join after tacky stage when heated to 250 to 260°F (121 to 127°C)	None	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
	Scotchgrip 1300	Join after tacky stage at room temp	5 to 10 minutes	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
	Scotchgrip 1300L		Per manufacturers instructions		180 days at 40 to 80°F (4 to 27°C)	None

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-107, Type I, Class 2 (C-333)	Scotchgrip Industrial Adhesive #4550		Per manufacturers instructions		180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type I, Class 3 (C-357)	Spray Adhesive #77	Join after tacky stage at room temp	24 hours	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type II, Class 4 (C-311)	A-1231-B		Per manufacturers instructions		180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type II, Class 5 (C-325)	EC-776	275 to 280°F (135 to 138°C) and allow to cool to room temp	None	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type III, Class 6 (C-310)	Magna-Tac M-24	315 to 320°F (157 to 160°C) or 250 to 260°F (121 to 127°C) (alternate 1) or room temp (alternate 2)	25 to 30 minutes or 60 to 70 minutes (alternate 1) or 24 hours (alternate 2)	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type III, Class 7 (C-308)	Pro-Seal 890-B2	Room temp then 180 to 190°F (82 to 88°C)	1 hour then 1hour	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
	PR-1440, Class B-2	Room temp then 180 to 190°F (82 to 88°C)	1 hour then 1hour	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
	CS 3204-B2		Per manufacturers instructions		180 days at 40 to 80°F (4 to 27°C)	None
299-947-107, Type IV, Class 8 (C-376) (C-377)	A1503B A1343B	190 to 210°F (88 to 99°C)	12 hours	Firm contact	180 days at 40 to 80°F (4 to 27°C)	None
299-947-121, Type I (C-362)	Cytec N-1113	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	6726, 6740, or BR 6747-1

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-121, Type I (C-362)	FM 53	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 53
	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
	AF 163-2K	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	EC 3924B
299-947-121, Type II (C-361)	Cytec N-1113	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	6726, 6740, or BR 6747-1
	FM 53	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 53
	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
	AF 163-2(U/S)	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	EC 3924B
299-947-121, Type III	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
	FM 53L	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 53
299-947-121, Type IV	Cytec N-1113	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	6726, 6740, or BR 6747-1
	FM 53	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 53
	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
	AF 163-2K	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	EC 3924B

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-121, Type V	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
299-947-121, Type VI	FM 87	260 to 290°F (127 to 143°C)	60 minutes minimum	40 PSI (276 kPa)	180 days below 0°F (-18°C)	BR 127
299-947-125, Type I (C-331)	EA 9309NA	Room temp or 175 to 185°F (80 to 85°C) (alternate)	3 days or 60 minutes (alternate)	Firm contact	12 months at 40 to 80°F (4 to 27°C)	None
299-947-125, Type II, Class 2 (C-397)	EA 9320NA	Room temp or 175 to 185°F (80 to 85°C) (alternate)	5 days or 60 minutes (alternate)	Firm contact	12 months at 40 to 80°F (4 to 27°C)	None
299-947-152, Type I, Class 1 (C-300)	Dapcotac 3300	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	S-2260
299-947-152, Type I, Class 2 (C-307)	RTV 732	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	1200
	RTV 108	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	SS-4004
299-947-152, Type II (C-346)	RTV 106	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	SS-4004
	RTV 736	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	1200
299-947-152, Type III (C-314)	RTV 730	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	1200
	Q42817	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	1200
	FRV 1106	Room temp	5 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	SS-4004

Table 13-3. Alternates for Bell Helicopter Textron Adhesives (Cont)

BELL SPEC (ITEM NO.)	ALTERNATE	CURE TEMP	CURE TIME	CURE PRESSURE	STORAGE LIFE	PRIMER
299-947-152, Type V, Class 2 (C-300)	3-6077	Room temp	7 days	Firm contact	6 months at 40 to 80°F (4 to 27°C)	1200

NOTE:

For any additional information pertaining to the definition, application, and use of these alternate adhesives, please refer to the manufacturers Technical Data Sheet, Material Safety Data Sheet (MSDS), or any other applicable documentation available through Bell Helicopter Textron.